
Smith Nephew

T.I.M.E. clinical decision support tool



*Always ensure adequate blood supply before debriding necrotic tissue. **Use appropriate secondary dressing as per your local protocol. ***Consider whether wound edge debridement is also required.

Evaluate and reassess the treatment and wound management outcomes

Evaluate: Record wound progression within given timelines. Flag if no change, go back to A, B, C and change treatment where indicated

Developed with the support of Glenn Smith⁸ and Moore et al. 2019⁹

INTRASITE Range includes INTRASITE Gel and INTRASITE CONFORMABLE. ACTICOAT Range includes ACTICOAT and ACTICOAT FLEX. IODOSORB range includes ointment, powder and dressing †NPWT: Negative Pressure Wound Therapy. ‡Level of exudate for wounds suitable for NPWT. §SECURA Range includes SECURA No Sting Barrier Film. PROSHIELD Range includes PROSHIELD Plus and PROSHIELD Foam and Spray. ∞Biofilm wound care: Debridement, cleanse and use anti-biofilm agent. ++ Debride and cleanse and use effective topical antimicrobial as per local protocol.

Reference: 1. Schultz GS. Sibbald RG. Falanga V. et al. Wound bed preparation: a systematic approach to wound management. Wound Rep Req (2003);11:1-28. 2. Leaper DJ, Schultz G, Carville K, Fletcher J, Swanson T, Drake R. Extending the TIME concept: what have we learned in the past 10 years? Int Wound J 2012; 9 (Suppl. 2):1-19. 3. International Wound Infection Institute (IWII) Wound infection in clinical practice. Wounds International (2016). 4. Weir D, Schultz G. Assessment and Management of Wound-Related Infections. In Doughty D & McNichol L (Eds.). Wound, Ostomy and Continence Nurses Society Core Curriculum: Wound Management (p. 156–180). 2016. Philadelphia:

Wolters-Kluwer, 5, Wolcott RD, et al. J Wound Care 2010;19(2):45–53. 6, Schultz G, et al. Wound Repair Regen 2017;25(5):744–757 7. Ayello EA, et al. Wounds Int 2012;1-24. 8. Smith G, Greenwood M, Searle R. Ward nurse's use of wound dressings before and after a bespoke educational programme. Journal of Wound Care 2010, vol 19, no.9. 9. Moore Z, Dowsett C, Smith G, et al. TIME CDST: an updated tool to address the current challenges in wound care. Journal of Wound Care, vol 28, no 3, March 2019: 154-161.

Smith & Nephew Pty Ltd (Australia) www.smith-nephew.com/australia. Smith & Nephew Ltd (New Zealand) www.smith-nephew.com/ new-zealand. ^oTrademark of Smith+Nephew. All trademarks acknowledged. 13714-anz V6 01/23.

Smith+Nephew does not provide medical advice. The information presented is not, and is not intended to serve as, medical advice. For detailed device information, including indications for use, contraindications, precautions and warnings, please consult the product's Instructions for Use. (IFU) prior to use. It is the responsibility of healthcare professionals to determine andutilise the appropriate products and techniques according to their own clinical judgment for each of their patients.