Product guide

All products shown at actual size.

smith&nephew

OASIS® Wound Matrix

OASIS ULTRA Tri-Layer Matrix

7 x 20cm 140cm² meshed 8213-0000-11 **OASIS® ULTRA** Tri-Layer Matrix

Ordering information

OASIS ULTRA Tri-Layer Matrix

Product code	Product description	Box quantity
8213-0000-16	3 x 3.5cm fenestrated	5 sheets
8213-0000-18	3 x 7cm fenestrated	5 sheets
8213-0000-13	5 x 7cm meshed	5 sheets
8213-0000-09	7 x 10cm meshed	5 sheets
8213-0000-11	7 x 20cm meshed	5 sheets

OASIS Wound Matrix

Product code	Product description	Box quantity
8213-1000-33	3 x 3.5cm fenestrated	10 sheets
8213-1000-37	3 x 7cm fenestrated	10 sheets



Nationally selected by VA as a topical skin substitute of choice (VA Prosthetics Biologics and Biologic Implant Award).

All sizes of OASIS® Wound Matrix and OASIS ULTRA Tri-Layer Matrix are now available on the VHA MSPV-NG catalog.

OASIS Wound Matrix



7 x 10cm

70cm²

meshed 8213-0000-09

Visit www.oasismatrix.com for more information or order OASIS Matrix by calling 1-800-441-8227.

OASIS® Matrix Products

Simple ECM Solutions for your wound management needs



24-month shelf life from date of manufacture



Easy storage (room temperature)



No advance preparation needed for use

Proven results in multiple clinical trials with multiple wound types*

Diabetic ulcers

⁺Costs based on the 2008 costs of materials.



achieved complete wound closure at 12 weeks in OASIS Wound Matrix + Standard of Care (SOC) group vs **32% of patients** receiving SOC alone (p=0.021).¹



less costly per patient with OASIS Wound Matrix + SOC vs DermagraftTM + SOC over a 12-week period.^{2†}

Venous ulcers

55[%] of wounds

achieved complete wound closure at 12 weeks in OASIS Wound Matrix + SOC group vs **34% of wounds** receiving SOC alone (p=0.0196).³

Chronic vascular ulcers



achieved complete wound closure at 8 weeks in OASIS + SOC vs 65% in petrolatum-treated ulcers (p<0.05)⁴

For any product-related questions, please contact Customer Care at **1-800-441-8227** or visit **www.oasismatrix.com** to learn more.

*See references for definition of standard of care (SOC) as defined in each clinical trial.



Contraindications:

This device is derived from a porcine source and should not be used in patients with known sensitivity to porcine material. This device is not indicated for use in third-degree burns.

For detailed product information, including indications for use, contraindications, precautions and warnings, please consult the product's Instructions for Use (IFU) prior to use.

References: 1. Cazzell SM, Lange DL, Dickerson JE Jr, Slade HB. The management of diabetic foot ulcers with porcine small intestine submucosa tri-layer matrix: A randomized controlled trial. Adv Wound Care. 2015;4:711-718. **2.** Landsman A, Roukis TS, DeFronzo DJ, et al. Living cells or collagen matrix: which is more beneficial in the treatment of diabetic foot ulcers? Wounds. 2008;20:111-116. **3.** Mostow EN, Haraway GD, Dalsing M, et al. Effectiveness of an extracellular matrix graft (OASIS Wound Matrix) in the treatment of chronic leg ulcers: a randomized clinical trial. J Vasc Surg. 2005;41:837-843. **4.** Romanelli M, Dini V, Bertone MS. Randomized Comparison of OASIS Wound Matrix versus Moist Wound Dressing in the Treatment of Difficult-to-Heal Wounds of Mixed Arterial/Venous Etiology. Adv Skin Wound Care. 2010; 23:34-38.

Manufactured by:

Cook Biotech, Inc. 1425 Innovation Place West Lafayette, IN 47906

Distributed by:

Advanced Wound Management Smith & Nephew, Inc. Fort Worth, TX 76109 USA

www.smith-nephew.com www.oasiswoundmatrix.com Customer Care Center: 1 800 441-8227 T 817 900-4000 F 817 900-4100

©2018 Smith & Nephew, Inc. OASIS is a registered trademark of Cook Biotech, Inc. All trademarks acknowledged. OMPE2-13865-1218