# Safety Data Sheet

according to Federal Register / Vol. 89, No. 98 / Monday, May 20, 2024 / Rules and Regulations SDS Reference Number: CSSS-TCO-010-169176

Issue date: 11/3/2025 Revision date: 11/3/2025 Version: 1.0

#### **SECTION 1 Identification**

#### 1.1. Product identifier

Product form : Mixture

Product name : NO-STING SKIN-PREP Wipes and Swabs & SECURA NSSP Wipes and Swabs

: 59420600, 59420700, 66800712, 66800787, 66800789, 66800790, 66800711, 66800788. Product code

#### 1.2. Other means of identification

No additional information available

#### 1.3. Recommended use of the chemical and restrictions on use

: Medical device for Skin Preparation. Recommended use

Restrictions on use : Not available

#### 1.4. Supplier's details

Smith & Nephew Medical Ltd

101 Hessle Road Hull HU3 2BN United Kingdom

T +44 (0)1482 225181

#### 1.5. Emergency phone number

Emergency number : 911 (24 Hours)

1-800-424-9300 (Chemtrec 24 Hours)

# **SECTION 2 Hazard Identification**

#### 2.1. Classification of the substance or mixture

#### **GHS US classification**

Flammable liquid, Category 2 H225 Highly flammable liquid and vapor.

Full text of H statements: see section 16

# 2.2. Label elements

#### **GHS US labeling**

Hazard pictograms (GHS US)



Signal word (GHS US) : Danger

Hazard statements (GHS US) : H225 - Highly flammable liquid and vapor

Precautionary statements (GHS US) : P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P233 - Keep container tightly closed.

P240 - Ground/Bond container and receiving equipment.

P241 - Use explosion-proof equipment.

P242 - Use non-sparking tools.

# Safety Data Sheet

according to Federal Register / Vol. 89, No. 98 / Monday, May 20, 2024 / Rules and Regulations

P243 - Take action to prevent static discharges.

P280 - Wear protective gloves, protective clothing, eye protection, face protection, and hearing protection.

P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P370+P378 - In case of fire: Use carbon dioxide (CO2), dry extinguishing powder, alcohol resistant foam, dry sand to extinguish.

P403+P235 - Store in a well-ventilated place. Keep cool.

P501 - Dispose of contents and/or container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulations.

# 2.3. Hazards associated with known or reasonably anticipated uses

No additional information available

#### 2.4. Hazards not otherwise classified

No additional information available

## 2.5. Unknown acute toxicity

- 10 < 20% of the mixture consists of ingredient(s) of unknown acute toxicity (Oral)
- 10 < 20% of the mixture consists of ingredient(s) of unknown acute toxicity (Dermal)
- 10 < 20% of the mixture consists of ingredient(s) of unknown acute toxicity (Inhalation)

### **SECTION 3 Composition/information on ingredients**

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

Name		Product identifier	%	GHS US classification
Hexamethyldisiloxane		CAS-No.: 107-46-0	70 – < 90	Flam. Liq. 2, H225
2-Propenoic acid, 2-methyl-, methyl ester, polymer with 3-[3,3,3-trimethyl-1,1-bis[(trimethylsilyl)oxy]-1-disiloxanyl]		CAS-No.: 52848-02-9	10 – < 20	Not available
	Cellulose	CAS-No.: 9004-34-6	- 75	Not classified
Towelette		CAS-No.: 68442-85-3	75	Not classified
	1-Propene homopolymer ; Polypropylene	CAS-No.: 9003-07-0	25	Not classified
	Foam	CAS-No.: N/A	N/A	Not classified
Swab	Resin	CAS-No.: N/A		Not classified
	Colorant	CAS-No.: N/A		Not classified

Full text of hazard classes and H-statements : see section 16

Note: depends on the product, each packet will contain either towelette (wipe) or swab.

### Safety Data Sheet

according to Federal Register / Vol. 89, No. 98 / Monday, May 20, 2024 / Rules and Regulations

#### **SECTION 4 First aid measures**

#### 4.1. Description of necessary first-aid measures

First-aid measures general : If you feel unwell, seek medical advice.

First-aid measures after inhalation : Not expected to present a significant raspiratory hazard under anticipated conditions of normal

use. Call a poison centre or doctor if you feel unwell.

First-aid measures after skin contact : Not expected to present a significant skin hazard under anticipated conditions of normal use. In

case of skin irritation, stop using the product. Rinse skin with water/shower. Get medical

advise/attention.

First-aid measures after eye contact : Rinse immediately with plenty of water. Remove contact lenses, if present and easy to do.

Continue rinsing. If eye irritation persists: Get medical advice/attention.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Call a poison center/doctor/physician if you feel unwell.

Personal protection for first-aid responders. : First aid workers will be equipped with suitable personal protective equipment.

#### 4.2. Most important symptoms/effects, acute and delayed

Symptoms/effects after inhalation : None under normal conditions.

Symptoms/effects after skin contact : None under normal conditions.

Symptoms/effects after eye contact : None under normal conditions.

Symptoms/effects after ingestion : None under normal conditions.

### 4.3. Indication of immediate medical attention and special treatment needed, if necessary

Other medical advice or treatment : Treat symptomatically.

#### **SECTION 5: Fire-fighting measures**

## 5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Dry powder. Alcohol-resistant foam. Carbon dioxide. Sand.

Unsuitable extinguishing media : Do not use a heavy water stream.

#### 5.2. Specific hazards arising from the chemical

Fire hazard : Highly flammable liquid and vapor.

Explosion hazard : No direct explosion hazard.

11/3/2025 (Revision date) EN (English US) 3/14

### Safety Data Sheet

according to Federal Register / Vol. 89, No. 98 / Monday, May 20, 2024 / Rules and Regulations

Hazardous decomposition products in case of fire : Toxic fumes may be released.

#### 5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions : Fight fire from safe distance and protected location. Do not enter fire area without proper

protective equipment, including respiratory protection.

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing

apparatus. Complete protective clothing.

#### **SECTION 6 Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Stop leak if safe to do so. Notify authorities if product enters sewers or public waters. Absorb

spillage to prevent material-damage.

For non-emergency personnel

Protective equipment : Wear recommended personal protective equipment.

Emergency procedures : Ventilate spillage area. No open flames, no sparks, and no smoking.

For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer

to section 8: "Exposure controls/personal protection".

Emergency procedures : Evacuate unnecessary personnel. Stop leak if safe to do so.

Environmental precautions : Avoid release to the environment.

#### 6.2. Methods and materials for containment and cleaning up

For containment : Collect spillage. Contain any spills with dikes or absorbents to prevent migration and entry into

sewers or streams. Stop leak, if possible without risk.

Methods for cleaning up : Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public

waters.

Other information : Dispose of materials or solid residues at an authorized site.

For further information refer to section 13.

## **SECTION 7 Handling and storage**

#### 7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open

flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Flammable vapors may accumulate in the container. Use explosion-proof equipment. Wear personal

protective equipment.

Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the

product.

Additional hazards when processed : Not expected to present a significant hazard under anticipated conditions of normal use.

#### 7.2. Conditions for safe storage, including incompatibilities

Technical measures : Ground/bond container and receiving equipment.

Storage conditions : Store in a well-ventilated place. Keep cool. Keep container tightly closed. Protect from sunlight.

Containers which are opened should be properly resealed and kept upright to prevent leakage.

11/3/2025 (Revision date) EN (English US) 4/14

# Safety Data Sheet

according to Federal Register / Vol. 89, No. 98 / Monday, May 20, 2024 / Rules and Regulations

Packaging materials

: Always store the product in container of the same material as original container.

The product presentation is of a non- woven towelette (or swab), impregnated with formulation, sealed individually in a printed laminate pouch.

## **SECTION 8 Exposure controls/personal protection**

#### 8.1. Control parameters

Cellulose (9004-34-6)				
USA - ACGIH - Occupational Exposure Limits				
Local name	Cellulose			
ACGIH® TLV® TWA	10 mg/m³			
Remark (ACGIH®)	TLV® Basis: URT irr			
Regulatory reference	ACGIH 2025			
USA - OSHA - Occupational Exposure Lim	its			
Local name	Cellulose			
OSHA PEL TWA	15 mg/m³ (Total dust) 5 mg/m³ (Respirable fraction)			
Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1			
USA - Cal/OSHA - Occupational Exposure Limits				
Local name Cellulose (paper fiber)				
Cal/OSHA PEL (OEL TWA)	10 mg/m³ (Total dust) 5 mg/m³ (Respirable fraction)			
Regulatory reference	California Division of Occupational Safety and Health (Cal/OSHA) - Permissible Exposure Limit for Chemical Contaminants (Table AC-1)			
USA - NIOSH - Occupational Exposure Limits				
Local name	Cellulose			
NIOSH REL 10h TWA	10 mg/m³ (Total dust) 5 mg/m³ (Respirable fraction)			
Regulatory reference (US-NIOSH)	OSHA Annotated Table Z-1 (NIOSH Pocket Guide to Chemical Hazards (NPG))			

## 8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.

Environmental exposure controls : Avoid release to the environment.

## 8.3. Individual protection measures, such as personal protective equipment

## Personal protective equipment:

Wear recommended personal protective equipment.

Hand protection:	
Protective gloves	

11/3/2025 (Revision date) EN (English US) 5/14

# Safety Data Sheet

according to Federal Register / Vol. 89, No. 98 / Monday, May 20, 2024 / Rules and Regulations

#### Eye protection:

Safety glasses

#### Skin and body protection:

Wear suitable protective clothing

#### Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

#### Personal protective equipment symbol(s):







## **SECTION 9 Physical and chemical properties**

#### 9.1. Basic physical and chemical properties

: Not applicable. Physical state Color : Not applicable. Odor Not applicable. Odor threshold : No data available pН : No data available : Not applicable Melting point : No data available Freezing point No data available Boiling point Flash point No data available Flammability (solid, gas) Not applicable. : No data available Vapor pressure Relative vapor density at 20°C No data available : No data available Relative density Density : No data available Solubility : No data available Partition coefficient n-octanol/water (Log Pow) : No data available : No data available Auto-ignition temperature Decomposition temperature : No data available Viscosity, kinematic : No data available **Explosion limits** No data available Particle characteristics : No data available

### 9.2. Data relevant with regard to physical hazard classes (supplemental)

No additional information available

## **SECTION 10 Stability and reactivity**

## 10.1. Reactivity

Highly flammable liquid and vapor.

# Safety Data Sheet

according to Federal Register / Vol. 89, No. 98 / Monday, May 20, 2024 / Rules and Regulations

#### 10.2. Chemical stability

Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

#### 10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

#### 10.5. Incompatible materials

Strong oxidizing agents.

#### 10.6. Hazardous decomposition products

Carbon oxides (CO, CO2).

## **SECTION 11 Toxicological information**

## 11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified Acute toxicity (dermal) : Not classified Acute toxicity (inhalation) : Not classified

NO-STING SKIN-PREP	& SECURA NSSP \	Wipes and Swabs
--------------------	-----------------	-----------------

Unknown acute toxicity (GHS US)		10 – < 20% of the mixture consists of ingredient(s) of unknown acute toxicity (Oral)
		10 – < 20% of the mixture consists of ingredient(s) of unknown acute toxicity (Dermal)
		10 – < 20% of the mixture consists of ingredient(s) of unknown acute toxicity (Inhalation)

Hovamo	thyldicil	avana l	(107-46-0)
пехание	LIIVIUISII	Uxalle I	107-40-01

· on an only in the control of		
LD50 oral rat	> 12.16 g/kg	
LD50 dermal rat	> 2000 mg/kg body weight	
LC50 Inhalation - Rat	106 mg/l/4h	

Skin corrosion/irritation : Not classified
Serious eye damage/irritation : Not classified
Respiratory or skin sensitization : Not classified
Germ cell mutagenicity : Not classified
Carcinogenicity : Not classified

#### **NO-STING SKIN-PREP & SECURA NSSP Wipes and Swabs**

IARC group	Not applicable
National Toxicity Program (NTP) Status	Not applicable

Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-repeated exposure : Not classified Aspiration hazard : Not classified

Symptoms/effects after inhalation : None under normal conditions.

11/3/2025 (Revision date) EN (English US) 7/14

# Safety Data Sheet

according to Federal Register / Vol. 89, No. 98 / Monday, May 20, 2024 / Rules and Regulations

Symptoms/effects after skin contact : None under normal conditions. Symptoms/effects after eye contact : None under normal conditions. Symptoms/effects after ingestion : None under normal conditions.

## **SECTION 12 Ecological information**

#### 12.1. Ecotoxicity

Ecology - general : Very toxic to aquatic life. Toxic to aquatic life with long lasting effects.

Hazardous to the aquatic environment, short-term : Very toxic to aquatic life.

(acute)

Hazardous to the aquatic environment, long-term : Toxic to aquatic life with long lasting effects.

(chronic)

Hexamethyldisiloxane (107-46-0)		
LC50 96h - Fish [1]	0.46 mg/l	
EC50 48h - Crustacea [1]	> 0.93 mg/l	
NOEC chronic crustacea	0.26 mg/l	
NOEC chronic algae	1 mg/l	

#### 12.2. Persistence and degradability

No additional information available

#### 12.3. Bioaccumulative potential

No additional information available

#### 12.4. Mobility in soil

No additional information available

#### 12.5. Other adverse effects

Ozone : Not classified

Fluorinated greenhouse gases : No

# **SECTION 13 Disposal considerations**

Regional waste regulation : Disposal must be done according to official regulations.

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

Sewage disposal recommendations : Disposal must be done according to official regulations. Product/Packaging disposal recommendations : Disposal must be done according to official regulations.

Additional information : Flammable vapors may accumulate in the container. Do not re-use empty containers.

# **SECTION 14 Transport information**

In accordance with DOT / TDG / IMDG / IATA

#### 14.1. UN number

UN-No. (DOT) : UN3175 UN-No. (TDG) : UN3175

11/3/2025 (Revision date) EN (English US) 8/14

# Safety Data Sheet

according to Federal Register / Vol. 89, No. 98 / Monday, May 20, 2024 / Rules and Regulations

UN-No. (IMDG) : 3175 UN-No. (IATA) : 3175

#### 14.2. UN Proper Shipping Name

Proper Shipping Name (DOT) : Solids containing flammable liquid, n.o.s. (Hexamethyldisiloxane)

Proper Shipping Name (TDG) : SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (Hexamethyldisiloxane)
Proper Shipping Name (IMDG) : SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (Hexamethyldisiloxane)

Proper Shipping Name (IATA) : Solids containing flammable liquid, n.o.s. (Hexamethyldisiloxane)

#### 14.3. Transport hazard class(es)

#### DOT

Transport hazard class(es) (DOT) : 4.1 Hazard labels (DOT) : 4.1



#### **TDG**

Transport hazard class(es) (TDG) : 4.1 Hazard labels (TDG) : 4.1



#### IMDG

Transport hazard class(es) (IMDG) : 4.1 Hazard labels (IMDG) : 4.1



#### IATA

Transport hazard class(es) (IATA) : 4.1 Hazard labels (IATA) : 4.1



# 14.4. Packing group

Packing group (DOT) : II
Packing group (TDG) : II
Packing group (IMDG) : II
Packing group (IATA) : II

## 14.5. Environmental hazards

Dangerous for the environment : Yes

# Safety Data Sheet

according to Federal Register / Vol. 89, No. 98 / Monday, May 20, 2024 / Rules and Regulations

Marine pollutant

: Yes



Other information

: DOT: 49 CFR 171.4 Marine pollutants (c) Exceptions (2) Single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids or having a net mass of 5 kg or less for solids, are not subject to any other requirements of this subchapter provided the packagings meet the general requirements in §§ 173.24 and 173.24a. This exception does not apply to marine pollutants that are a hazardous waste or a hazardous substance

**IMDG**: The applicable inner packaging quantity limit for the inner packaging or article is 1 kg, provided the packagings meet the general provisions of 4.1.1.1, 4.1.1.2, and 4.1.1.4 to 4.1.1.8. Dangerous goods transported according to these special provisions shall be packed only in inner packagings placed in suitable outer packaging. Intermediate packagings may be used. However, the use of inner packagings is not necessary for the transport of articles such as aerosols or "receptacles, small, containing gas". The packagings shall meet the provisions of 4.1.1.1, 4.1.1.2 and 4.1.1.4 to 4.1.1.8 and be so designed that they meet the construction provisions of 6.1.4. The total gross mass of a package shall not exceed 30 kg.

Shrink- or stretch-wrapped trays meeting the conditions of 4.1.1.1, 4.1.1.2 and 4.1.1.4 to 4.1.1.8 are acceptable as outer packagings for articles or inner packagings containing dangerous goods transported in accordance with these special provisions. Inner packagings that are liable to break or be easily punctured, such as those made of glass, porcelain, stoneware or certain plastics, shall be placed in suitable intermediate packagings meeting the provisions of 4.1.1.1, 4.1.1.2 and 4.1.1.4 to 4.1.1.8, and be so designed that they meet the construction requirements of 6.1.4. The total gross mass of a package shall not exceed 20 kg.

IATA Inner Packaging imited quantity max net quantity is 5kg (Special provision provides exceptions: Y441). The package ready to be shipped must not weight more than 30 kg (gross weight).

#### 14.6. Transport in bulk

Not applicable

# 14.7. Special precautions for user

DOT

UN-No. (DOT) : UN3175

11/3/2025 (Revision date) EN (English US) 10/14

### Safety Data Sheet

according to Federal Register / Vol. 89, No. 98 / Monday, May 20, 2024 / Rules and Regulations

DOT Special Provisions (49 CFR 172.102)

: 47 - Mixtures of solids that are not subject to this subchapter and flammable liquids may be transported under this entry without first applying the classification criteria of Division 4.1, provided there is no free liquid visible at the time the material is loaded or at the time the packaging or transport unit is closed. Except when the liquids are fully absorbed in solid material contained in sealed bags, each packaging must correspond to a design type that has passed a leakproofness test at the Packing Group II level. Small inner packaging consisting of sealed packets containing less than 10 mL of a Class 3 liquid in Packing Group II or III absorbed into a solid material are not subject to this subchapter provided there is no free liquid in the packet. IB6 - Authorized IBCs: Metal (11A, 11B, 11N, 21A, 21B, 21N, 31A, 31B and 31N); Rigid plastics (11H1, 11H2, 21H1, 21H2, 31H1 and 31H2); Composite (11HZ1, 11HZ2, 21HZ1, 21HZ2, 31HZ1 and 31HZ2). Additional Requirement: Composite IBCs 11HZ2 and 21HZ2 may not be used when the hazardous materials being transported may become liquid during transport. IP2 - When IBCs other than metal or rigid plastics IBCs are used, they must be offered for transportation in a closed freight container or a closed transport vehicle.

T3 - 2.65 178.274(d)(2) Normal..... 178.275(d)(2)

TP33 - The portable tank instruction assigned for this substance applies for granular and powdered solids and for solids which are filled and discharged at temperatures above their melting point which are cooled and transported as a solid mass. Solid substances transported or offered for transport above their melting point are authorized for transportation in portable tanks conforming to the provisions of portable tank instruction T4 for solid substances of packing group III or T7 for solid substances of packing group II, unless a tank with more stringent requirements for minimum shell thickness, maximum allowable working pressure, pressure-relief devices or bottom outlets are assigned in which case the more stringent tank instruction and special provisions shall apply. Filling limits must be in accordance with portable tank special provision TP3. Solids meeting the definition of an elevated temperature material must be transported in accordance with the applicable requirements of this subchapter.

DOT Packaging Exceptions (49 CFR 173.xxx) : 151
DOT Packaging Non Bulk (49 CFR 173.xxx) : 212
DOT Packaging Bulk (49 CFR 173.xxx) : 240
DOT Quantity Limitations Passenger aircraft/rail (49 : 15 kg

CFR 173.27)

DOT Quantity Limitations Cargo aircraft only (49

CFR 175.75)

DOT Vessel Stowage Location

: 50 kg

: B - (i) The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel carrying a number of passengers limited to not more than the larger of 25 passengers, or one passenger per each 3 m of overall vessel length; and (ii) "On deck only" on passenger vessels in which the number of passengers specified in paragraph (k)(2)(i) of this section is exceeded.

TDG

UN-No. (TDG) : UN3175

11/3/2025 (Revision date) EN (English US) 11/14

### Safety Data Sheet

according to Federal Register / Vol. 89, No. 98 / Monday, May 20, 2024 / Rules and Regulations

**TDG Special Provisions** 

- : 16 (1) The technical name of at least one of the most dangerous substances that predominantly contributes to the danger or dangers posed by the dangerous goods must be shown, in parentheses, on the shipping document following the shipping name in accordance with clause 3.5(1)(c)(ii)(A). The technical name must also be shown, in parentheses, on a small means of containment or on a tag following the shipping name in accordance with subsections 4.11(2) and (3).
  - (2) Despite subsection (1), the technical name for the following dangerous goods is not required to be shown on a shipping document or on a small means of containment when Canadian law for domestic transport or an international convention for international transport prohibits the disclosure of the technical name:
  - (a) UN1544, ALKALOID SALTS, SOLID, N.O.S. or ALKALOIDS, SOLID, N.O.S;
  - (b) UN1851, MEDICINE, LIQUID, TOXIC, N.O.S;
  - (c) UN3140, ALKALOID SALTS, LIQUID, N.O.S. or ALKALOIDS, LIQUID, N.O.S;
  - (d) UN3248, MEDICINE, LIQUID, FLAMMABLE, TOXIC, N.O.S; or
  - (e) UN3249, MEDICINE, SOLID, TOXIC, N.O.S.
  - (3) Despite subsection (1), the technical name for the following dangerous goods is not required to be shown on a small means of containment:
  - (a) UN2814, INFECTIOUS SUBSTANCE, AFFECTING HUMANS; or
  - (b) UN2900, INFECTIOUS SUBSTANCE, AFFECTING ANIMALS,56 (1) When solids that are not dangerous goods, and liquids included in Class 3, Flammable Liquids, are in a mixture, the mixture may be handled, offered for transport or transported under this shipping name without the tests and criteria for including substances in Class 4.1, Flammable Solids, first being applied to them. if
  - (a) there is no visible liquid at the time the mixture is loaded into a means of containment or at the time the means of containment is closed; and
  - (b) each means of containment is leakproof.
  - (2) These Regulations, except for Part 1 (Coming into Force, Repeal, Interpretation, General Provisions and Special Cases) and Part 2 (Classification), do not apply to a sealed packet or article containing less than 10 mL of dangerous goods included in Class 3, Flammable Liquids, packing group II or III, if there is no free liquid in the packet or article.

Explosive Limit and Limited Quantity Index : 1 kg
Excepted quantities (TDG) : E2
Passenger Carrying Road Vehicle or Passenger : 15 kg

Carrying Railway Vehicle Index

Emergency Response Guide (ERG) Number : 133

**IMDG** 

Special provision (IMDG) : 216, 274 Limited quantities (IMDG) : 1 kg Excepted quantities (IMDG) : E2 Packing instructions (IMDG) : P002 Packing provisions (IMDG) PP9 IBC packing instructions (IMDG) : IBC06 IBC special provisions (IMDG) B21 Tank instructions (IMDG) T3, BK2 Tank special provisions (IMDG) TP33

EmS-No. (Fire) : F-A - FIRE SCHEDULE Alfa - GENERAL FIRE SCHEDULE

EmS-No. (Spillage) : S-I - SPILLAGE SCHEDULE India - FLAMMABLE SOLIDS (REPACKING POSSIBLE)

Stowage category (IMDG)

Properties and observations (IMDG) : Mixtures of non-dangerous solids (such as soil, sand, production materials etc.) and flammable

liquids.

IATA

Special provision (IATA) : A46

11/3/2025 (Revision date) EN (English US) 12/14

# Safety Data Sheet

according to Federal Register / Vol. 89, No. 98 / Monday, May 20, 2024 / Rules and Regulations

PCA Excepted quantities (IATA) : E2 PCA Limited quantities (IATA) Y441 PCA limited quantity max net quantity (IATA) : 5kg PCA packing instructions (IATA) 445 PCA max net quantity (IATA) : 15kg CAO packing instructions (IATA) · 448 CAO max net quantity (IATA) : 50kg ERG code (IATA) : 3L

## **SECTION 15 Regulatory information**

#### 15.1. Federal regulations

#### **NO-STING SKIN-PREP & SECURA NSSP Wipes and Swabs**

SARA Section 311/312 Hazard Classes Physical hazard - Flammable (gases, aerosols, liquids, or solids)

Commercial status of components according to the United States Environmental Protection Agency's Toxic Substances Control Act (TSCA):

Name	CAS-No.	Listing	Commercial status	Flags
Hexamethyldisiloxane	107-46-0	Present	Active	
2-Propenoic acid, 2-methyl-, methyl ester, polymer with 3-[3,3,3-trimethyl-1,1-bis[(trimethylsilyl)oxy]-1-disiloxanyl]	52848-02-9	Not present	-	
Cellulose	9004-34-6	Present	Active	XU
Cellulose, regenerated	68442-85-3	Present	Active	XU
1-Propene homopolymer ; Polypropylene	9003-07-0	Present	Active	XU

#### 15.2. International regulations

#### CANADA

#### Hexamethyldisiloxane (107-46-0)

Listed on the Canadian DSL (Domestic Substances List)

2-Propenoic acid, 2-methyl-, methyl ester, polymer with 3-[3,3,3-trimethyl-1,1-bis[(trimethylsilyl)oxy]-1-disiloxanyl] (52848-02-9)

Not listed on the Canadian DSL (Domestic Substances List)/NDSL (Non-Domestic Substances List)

# Cellulose (9004-34-6)

Listed on the Canadian DSL (Domestic Substances List)

#### Cellulose, regenerated (68442-85-3)

Not listed on the Canadian DSL (Domestic Substances List)/NDSL (Non-Domestic Substances List)

# Safety Data Sheet

according to Federal Register / Vol. 89, No. 98 / Monday, May 20, 2024 / Rules and Regulations

#### 1-Propene homopolymer; Polypropylene (9003-07-0)

Listed on the Canadian DSL (Domestic Substances List)

#### **EU-Regulations**

No additional information available

#### **National regulations**

#### Hexamethyldisiloxane (107-46-0)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

#### Cellulose (9004-34-6)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

#### 1-Propene homopolymer; Polypropylene (9003-07-0)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

#### 15.3. State regulations

No additional information available

#### **SECTION 16 Other information**

according to Federal Register / Vol. 89, No. 98 / Monday, May 20, 2024 / Rules and Regulations

Revision date : 11/3/2025 Issue date : 11/3/2025

#### Full text of hazard classes and H-statements

H225 Highly flammable liquid and vapor

Safety Data Sheet (SDS), USA

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.