## 1. Identification

1.1. Product identifier

Product Identity

Skin Prep Wipes Sterile

Skin Prep Wipes CE marked

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use Skin Preparation. For external use only.

Application Method See Technical Data Sheet.

1.3. Details of the supplier of the safety data sheet

Company Name Smith & Nephew

970 Lake Carillon Drive, Suite 110

St. Petersburg, FL 33716

**Emergency** 

Customer Service: Smith & Nephew 1-800-876-1261

## 2. Hazard(s) identification

#### 2.1. Classification of the substance or mixture

Flam. Liq. 2;H225 Highly Flammable liquid and vapor. Eye Irrit. 2;H319 Causes serious eye irritation.

STOT SE 3;H336 May cause drowsiness or dizziness.

#### 2.2. Label elements

Using the Toxicity Data listed in section 11 and 12 the product is labeled as follows.



Danger

H225 Highly flammable liquid and vapor.

H319 Causes serious eye irritation.

H336 May cause drowsiness and dizziness.

### [Prevention]:

P210 Keep away from heat / sparks / open flames / hot surfaces - No smoking.

P235 Keep cool.

P240 Ground / bond container and receiving equipment.

P241 Use explosion-proof electrical / ventilating / light / equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.

P261 Avoid breathing dust / fume / gas / mist / vapors / spray.

P264 Wash thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves / eye protection / face protection.

#### [Response]:

P303+361+353 IF ON SKIN (or hair): Remove / Take off immediately all contaminated clothing. Rinse skin with water / shower.

P304+312 IF INHALED: Call a POISON CENTER or doctor / physician if you feel unwell.

P305+351+338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do - continue rinsing.

P337+313 If eye irritation persists: Get medical advice / attention.

P340 Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P370+378 In case of fire: Use extinguishing media listed in section 5 of SDS for extinction.

#### [Storage]:

P403+233 Store in a well ventilated place. Keep container tightly closed.

P405 Store locked up.

#### [Disposal]:

P501 Dispose of contents / container in accordance with local / national regulations.

# 3. Composition/information on ingredients

This product contains the following substances that present a hazard within the meaning of the relevant State and Federal Hazardous Substances regulations.

Ingredient/Chemical Designations	Weight %	GHS Classification	Notes
Isopropyl Alcohol CAS Number: 0000067-63-0	75 - 100	Flam. Liq. 2;H225 Eye Irrit. 2;H319 STOT SE 3;H336	[1][2]
Butenedioic Acid (Z)-, Monobutyl Ester, Polymer Wi CAS Number: 0025119-68-0	10 - 25	Not Classified	[1]

In accordance with paragraph (i) of §1910.1200, the specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

- [1] Substance classified with a health or environmental hazard.
- [2] Substance with a workplace exposure limit.
- [3] PBT-substance or vPvB-substance.

<sup>\*</sup>The full texts of the phrases are shown in Section 16.

## 4. First aid measures

#### 4.1. Description of first aid measures

**General** In all cases of doubt, or when symptoms persist, seek medical attention.

Never give anything by mouth to an unconscious person.

**Inhalation** Remove to fresh air, keep patient warm and at rest. If breathing is irregular or stopped, give

artificial respiration. If unconscious place in the recovery position and obtain immediate

medical attention. Give nothing by mouth.

Eyes Irrigate copiously with clean water for at least 15 minutes, holding the eyelids apart and

seek medical attention.

**Skin** No first aid should be needed.

**Ingestion** Do not induce vomiting. Contact the poison control center or a physician immediately for

instructions.

### 4.2. Most important symptoms and effects, both acute and delayed

Overview Acute Effects

**Inhalation:** Exposure to high air concentrations may cause mild irritation to nose and throat. Drowsiness, headache, and mild narcosis can occur from inhalation.

Eye: Exposure to high air concentrations may cause mild irritation to eyes.

**Ingestion:** Ingestion may cause drowsiness, burning of the gastrointestinal tract, and death. Ingestion may cause gastrointestinal pain, cramps, nausea and vomiting.

**Medical Conditions Aggravated by Long-Term Exposure:** Pre-existing eye, skin and respiratory disorders may be aggravated by exposure to this product. Impaired function from pre-existing disorders may be aggravated by exposure to this product.

Exposure to solvent vapor concentrations from the component solvents in excess of the stated occupational exposure limits may result in adverse health effects such as mucous membrane and respiratory system irritation and adverse effects on the kidneys, liver and central nervous system. Symptoms include headache, nausea, dizziness, fatigue, muscular weakness, drowsiness and in extreme cases, loss of consciousness.

Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in dryness, irritation and possible non-allergic contact dermatitis. Solvents may also be absorbed through the skin. Splashes of liquid in the eyes may cause irritation and soreness with possible reversible damage.

See section 2 for further details.

**Inhalation** May cause drowsiness or dizziness.

**Eyes** Causes serious eye irritation.

## 5. Fire-fighting measures

#### 5.1. Extinguishing media

Carbon dioxide, dry chemical, alcohol foam

#### 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition: Oxides of Carbon

Keep away from heat / sparks / open flames / hot surfaces - No smoking.

Keep cool.

Ground / bond container and receiving equipment.

Use explosion-proof electrical / ventilating / light / equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.

Avoid breathing dust / fume / gas / mist / vapors / spray.

#### 5.3. Advice for fire-fighters

Vapors are heavier than air and may travel along the ground to some distant source of ignition and flash back.

Wear self-contained breathing apparatus and protective clothing. Do not release runoff from fire control methods to sewers or waterways.

ERG Guide No. 133

#### 6. Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

Put on appropriate personal protective equipment (see section 8).

#### 6.2. Environmental precautions

Do not allow spills to enter drains or waterways.

Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

#### 6.3. Methods and material for containment and cleaning up

Mop or wipe up small spills. Ventilate area.

Dike large spills to minimize contamination and contain material. Remove all sources of heat and ignition. Absorb with sand or vermiculite. Ventilate area to dissipate vapors.

# 7. Handling and storage

## 7.1. Precautions for safe handling

Do not use with electrocautery procedures.

See section 2 for further details. - [Prevention]:

#### 7.2. Conditions for safe storage, including any incompatibilities

Handle containers carefully to prevent damage and spillage.

Incompatible materials: Strong oxidizing agents

Store in a cool (≤ 77°F / 25°C), dry, well-ventilated area away from strong oxidizing agents, sources of heat, sparks, and open flames.

See section 2 for further details. - [Storage]:

## 7.3. Specific end use(s)

No data available.

# 8. Exposure controls and personal protection

#### 8.1. Control parameters

### **Exposure**

CAS No.	Ingredient	Source	Value
0000067-63-	0000067-63- Isopropyl Alcohol		TWA 400 ppm (980 mg/m <sup>3</sup> )STEL 500 ppm
0	ACGIH	TWA: 200 ppm STEL: 400 ppm Revised 2003,	
	NIOSH	TWA 400 ppm (980 mg/m <sup>3</sup> ) ST 500 ppm (1225 mg/m	
	Supplier	No Established Limit	
0025119-68-	, , , , , , , , , , , , , , , , , , , ,		No Established Limit
0	Ester, Polymer Wi	ACGIH	No Established Limit
		NIOSH	No Established Limit
	Supplier	No Established Limit	

## Carcinogen Data

CAS No.	Ingredient	Source	Value			
0000067-63-	Isopropyl Alcohol	OSHA	Select Carcinogen: No			
0		NTP	Known: No; Suspected: No			
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: Yes; Group 4: No;			
0025119-68-	Butenedioic Acid (Z)-,	OSHA	Select Carcinogen: No			
0 Monobutyl Ester, Polymer Wi	NTP	Known: No; Suspected: No				
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;			

8.2. Exposure controls

RespiratoryNone required for normal use.EyesNone required for normal use.SkinNone required for normal use.

**Engineering Controls** Provide adequate ventilation. Where reasonably practicable this should be achieved by the

use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and any vapor below occupational exposure limits

suitable respiratory protection must be worn.

using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

See section 2 for further details. - [Prevention]:

# 9. Physical and chemical properties

Appearance Clear, Colorless Liquid

Odor Alcohol Odor
Odor threshold Not determined
PH Not determined
Melting point / freezing point Not determined

Initial boiling point and boiling range 180°F

Flash Point 53°F / 11.7°C TCC Evaporation rate (Ether = 1) 2.83 (nBuAc = 1) Flammability (solid, gas) Not Applicable

Upper/lower flammability or explosive limits

Lower Explosive Limit: 2.5

Upper Explosive Limit: 12

Vapor pressure (Pa)33 mmHgVapor Density2.1 (Air = 1)

**Specific Gravity**  $0.85 @ 25^{\circ}C (H_2O = 1)$ 

Solubility in Water Miscible

Partition coefficient n-octanol/water (Log Kow)

Auto-ignition temperature

Not determined

Not available

Viscosity (cSt)

Not determined

Not available

Not available

9.2. Other information

No other relevant information.

## 10. Stability and reactivity

#### 10.1. Reactivity

Hazardous Polymerization will not occur.

#### 10.2. Chemical stability

Stable under normal circumstances.

#### 10.3. Possibility of hazardous reactions

Carbon monoxide and unidentified organic compounds may be formed during combustion.

#### 10.4. Conditions to avoid

Avoid excessive heat, open flames and all ignition sources.

#### 10.5. Incompatible materials

Strong oxidizing agents

### 10.6. Hazardous decomposition products

Oxides of Carbon

## 11. Toxicological information

### **Acute toxicity**

Exposure to solvent vapor concentrations from the component solvents in excess of the stated occupational exposure limits may result in adverse health effects such as mucous membrane and respiratory system irritation and adverse effects on the kidneys, liver and central nervous system. Symptoms include headache, nausea, dizziness, fatigue, muscular weakness, drowsiness and in extreme cases, loss of consciousness.

Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in dryness, irritation and possible non-allergic contact dermatitis. Solvents may also be absorbed through the skin. Splashes of liquid in the eyes may cause irritation and soreness with possible reversible damage.

Ingredient	Oral LD50, mg/kg	Skin LD50, mg/kg	Inhalation Vapor LC50, mg/L/4hr	Inhalation Dust/Mist LC50, mg/L/4hr	Inhalation Gas LC50, ppm
Isopropyl Alcohol - (67-63-0)	4,710.00, Rat - Category: 5	12,800.00, Rat - Category: NA	72.60, Rat - Category: NA	No data available	No data available
Butenedioic Acid (Z)-, Monobutyl Ester, Polymer Wi - (25119-68-0)	No data available	No data available	No data available	No data available	No data available

Note: When no route specific LD50 data is available for an acute toxin, the converted acute toxicity point estimate was used in the calculation of the product's ATE (Acute Toxicity Estimate).

Classification	Category	Hazard Description
Acute toxicity (oral)		Not Applicable
Acute toxicity (dermal)		Not Applicable
Acute toxicity (inhalation)		Not Applicable
Skin corrosion/irritation		Not Applicable
Serious eye damage/irritation	2	Causes serious eye irritation.
Respiratory sensitization		Not Applicable
Skin sensitization		Not Applicable
Germ cell mutagenicity		Not Applicable
Carcinogenicity		Not Applicable
Reproductive toxicity		Not Applicable
STOT-single exposure	3	May cause drowsiness or dizziness.
STOT-single exposure		Not Applicable
STOT-repeated exposure		Not Applicable
Aspiration hazard		Not Applicable

# 12. Ecological information

### 12.1. Toxicity

The preparation has been assessed following the conventional method of the Dangerous Preparations Directive 1999/45/EC and GHS and is not classified as dangerous for the environment, but contains substance(s) dangerous for the environment. See section 3 for details

### **Aquatic Ecotoxicity**

Ingredient	96 hr LC50 fish, mg/l	48 hr EC50 crustacea, mg/l	ErC50 algae, mg/l
Isopropyl Alcohol - (67-63-0)	1,400.00, Lepomis macrochirus	100.00, Daphnia magna	100.00 (72 hr), Scenedesmus subspicatus
Butenedioic Acid (Z)-, Monobutyl Ester, Polymer Wi - (25119-68-0)	Not Available	Not Available	Not Available

### 12.2. Persistence and degradability

There is no data available on the preparation itself.

#### 12.3. Bioaccumulative potential

Not Measured

## 12.4. Mobility in soil

No data available.

#### 12.5. Results of PBT and vPvB assessment

This product contains no PBT/vPvB chemicals.

#### 12.6. Other adverse effects

No data available.

## 13. Disposal considerations

#### 13.1. Waste treatment methods

Observe all federal, state and local regulations when disposing of this substance.

## 14. Transport information

Not Subject to Regulations Per:

Air: IATA Special Provision A46

**Ground:** 49 CFR 172.102 Special Provision 47

Ocean: IMDG Special Provision 216

**DOT (Domestic Surface Transportation)** 

14.1. UN number UN3175

**14.2. UN proper** UN3175, Solids containing

shipping name flammable liquid, n.o.s., (Isopropyl

Alcohol), 4.1, II

14.3. Transport DOT Hazard Class: 4.1

hazard class(es)
14.4. Packing

group

14.5. Environmental hazards

IMDG Marine Pollutant: No

14.6. Special precautions for user

No further information

IMO / IMDG (Ocean Transportation)

UN3175 Solids containing flammable

liquid, n.o.s., (Isopropyl Alcohol)

IMDG: 4.1

Sub Class: Not Applicable

ICAO/IATA

UN3175

Solids containing flammable liquid, n.o.s., (Isopropyl

Alcohol)

Air Class: 4.1

П

## 15. Regulatory information

Regulatory Overview The regulatory data in Section 15 is not intended to be all-inclusive, only selected

regulations are represented.

Toxic Substance Control Act (TSCA) All components of this material are either listed or exempt from listing on the TSCA

Inventory. B2 D2B

WHMIS Classification
US EPA Tier II Hazards

Fire: Yes

Sudden Release of Pressure: No

Reactive: No te (Acute): Yes

Immediate (Acute): Yes Delayed (Chronic): No

#### EPCRA 311/312 Chemicals and RQs:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

## **EPCRA 302 Extremely Hazardous:**

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

#### **EPCRA 313 Toxic Chemicals:**

Isopropyl Alcohol

#### Proposition 65 - Carcinogens (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

#### Proposition 65 - Developmental Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

#### Proposition 65 - Female Repro Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

#### Proposition 65 - Male Repro Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

#### New Jersey RTK Substances (>1%):

Isopropyl Alcohol

#### Pennsylvania RTK Substances (>1%):

Isopropyl Alcohol

## 16. Other information

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders.

The full text of the phrases appearing in section 3 is:

H225 Highly flammable liquid and vapor.

H319 Causes serious eye irritation.

H336 May cause drowsiness and dizziness.

This is the first version in the GHS SDS format. Listings of changes from previous versions in other formats are not applicable.

End of Document