

Part of the **INSTABILITY EXCELLENCE** Portfolio

## Redefining peak performance

Consistent deployment<sup>1-3</sup>, fixation strength<sup>4,5</sup> An integral part of Instability Excellence

#### **Smith**Nephew

Q-FIX<sup>♦</sup> All-Suture Anchor

### Q-FIX<sup>o</sup> All-Suture Anchor

#### Consistent deployment<sup>1-3</sup>

- Designed to provide consistent deployment due to the radially expanding implant design and delivery system
- The active deployment against the inserter shaft and the tensioning of the sutures to at least 140N contributes to the low displacement during cyclic loading<sup>14-8</sup>








#### Fixation strength<sup>4, 5</sup>

- Shown to provide greater fixation strength when compared to other commercially available all-suture anchors<sup>†</sup>\*<sup>4,5</sup>
- Provides the benefits of a small, soft anchor with the fixation characteristics similar to or greater than traditional solid body anchors<sup>†5, 9, 10</sup>

#### Max Load of Labral Repair Anchors Tested (in 30 pcf)<sup>5</sup>



\*Q-FIX Suture Anchor 1.8 compared to BIORAPTOR° 2.3 PK Suture Anchor, Zimmer Biomet JuggerKnot™ 1.45 (#1 and #2), Conmed Y-Knot™ Flex 1.3 and Stryker Iconix 1

#### Improved access<sup>11</sup>

- Can improve access to challenging shoulder anatomy with the Q-FIX Curved Drill Guide, complete with intuitive visual and tactile cues<sup>11</sup>
- Greater accuracy than leading competitor curved drill guides\*\*, producing less than 1 degree of deviation<sup>12</sup>

#### Low displacement

- Ultra-low displacement during cyclic loading<sup>†4-8</sup>
- Q-FIX 1.8mm anchor shown to provide leading performance, with the lowest displacement during cyclic loading among competitor all-suture anchors

+ As demonstrated in benchtop testing

\*\*\* Q-FIX Suture Anchor 1.8 compared to Stryker Iconix 1, 2, 2.5 and 3, Parcus Medical Draw Tight™ 1.8 and 3.2, Zimmer Biomet Juggerknot™ 1.4, 1.45 (#1 and #2), 1.5 and 2.9 and Conmed Y-Knot™ Flex 1.3, 1.8 and 2.8

# Displacement at 400 cycles (in 30 pcf)5 9.0 8.0 7.0 6.0 5.0 3.0 2.0 1.0 1.0 Note of the properties of the prop

<sup>\*\*</sup>Measured as drill deviation vs. drill guide angle; Compared to Cayenne SureLock™ Curved, Stryker Iconix Curved, Arthrex FibreTak™ Curved, Zimmer Biomet JuggerKnot™ Long Curved (without centering sleeve)

#### Ordering information

Q-FIX° All-Suture Anchors Pre-loaded with MINITAPE° Suture*		
Reference #	Description	
72205858	Q-FIX All-Suture Anchor, 1.8mm, with one MINITAPE Suture, cobraid-white	
72205859	Q-FIX All-Suture Anchor, 1.8mm, with one MINITAPE Suture, blue	
72205860	Q-FIX All-Suture Anchor, 2.8mm, with two MINITAPE Sutures, blue, cobraid-white	
Q-FIX All-Sut MAGNUMWIF	ure Anchors Pre-loaded with RE Suture	
72290123	Q-FIX MINI All-Suture Anchor, 1.8mm, with one MAGNUMWIRE Suture, cobraid-wire	
25-1800	Q-FIX All-Suture Anchor, 1.8mm, with one MAGNUMWIRE Suture, cobraid-blue	
25-2800	Q-FIX All-Suture Anchor, 2.8mm, with two MAGNUMWIRE Sutures: cobraid-blue, cobraid-black	
Q-FIX Disposa	able kits	
72290125	Q-FIX MINI All-Suture Anchor Disposable Kit, 1.8mm, includes drill, fish mouth tip drill guide and sharp obturator	
72290126	Q-FIX MINI All-Suture Anchor Disposable Kit XL, 1.8mm, includes drill, crown drill guide and sharp obturator	
25-1810	Q-FIX All-Suture Anchor Disposable Kit, 1.8mm, includes drill, fish mouth tip drill guide and sharp obturator	
25-1811	Q-FIX All-Suture Anchor Disposable Kit XL, 1.8mm, includes drill, crown tip drill guide	

Q-FIX Reusab	ole Accessories
72290032	Q-FIX All-Suture Anchor Drill Guide, fish mouthg tip, 1.8mm, nonsterile, reusable
72290034	Q-FIX All-Suture Anchor Drill Guide XL, crown tip, 1.8mm, nonsterile, reusable
72290120	Q-FIX All-Suture Anchor Curved Drill Guide, crown tip, 1.8mm, nonsterile, reusable
72290119	Q-FIX All-Suture Anchor Curved Drill Guide XL, crown tip, 1.8mm, nonsterile, reusable
72290033	Q-FIX All-Suture Anchor Obturator, 1.8mm, nonsterile, reusable
72290035	Q-FIX All-Suture Anchor Drill Guide, crown tip, 2.8mm, nonsterile, reusable
72290036	Q-FIX All-Suture Anchor Obturator 2.8mm, nonsterile, reusable
25-2820	Q-FIX All-Suture Anchor Bone Punch, 2.8mm, reusable
Q-FIX Dispose	able Accessories
72290124	Q-FIX MINI All-Suture Anchor Twist Drill, 1.8mm, sterile, disposable
72290030	Q-FIX All-Suture Anchor Twist Drill, 1.8mm, sterile, disposable
72290118	Q-FIX All-Suture Anchor Flexible Drill, 1.8mm, sterile, disposable
72290031	Q-FIX All-Suture Anchor Twist Drill, 2.8mm, sterile, disposable

<sup>\*</sup> Legal manufacturer is Smith & Nephew, Inc. 150 Minuteman Road Andover, MA 01810 USA

Products may not be available in all markets because product availability is subject to the regulatory and/or medical practices in individual markets. Please contact your Smith+Nephew representative or distributor if you have questions about the availability of Smith+Nephew products in your area.

#### Learn more at smith-nephew.com

Distributed by: Smith & Nephew, Inc. 150 Minuteman Road Andover, MA 01810 USA www.smith-nephew.com

and sharp obturator

T +978 749 1000 US Customer Service: +1 800 343 5717 Manufactured by: ArthroCare Corporation 7000 West William Cannon Drive Austin, TX 78735, USA

°Trademark of Smith+Nephew. All trademarks acknowledged. ©2023 Smith+Nephew. All rights reserved. 06770 V6 09/23



#### References

1. ArthroCare Corporation 2016. Report: Design Verification, 1.8mm & 2.8 mm Q-Fix Suture Anchor P/N 49190-01 Rev.B. 2. ArthroCare Corporation 2017. Report: Design Verification, 1.8mm Q-Fix MINI Soft Suture Anchor P/N 49190-03 Rev. B. 3. Smith+Nephew 2020. Safety and Performance of Q-Fix All-Suture Anchor System 17-5010-11.

4. Barber FA, Herbert MA. All-Suture Anchors: Biomechanical Analysis of Pullout Strength, Displacement, and Failure Mode. Arthroscopy. 2017;33(6):1113-1121. 5. Douglass NP, Behn AW, Safran MR. Cyclic and Load to Failure Properties of All-Suture Anchors in Synthetic Acetabular and Glenoid Cancellous Bone. Arthroscopy. 2017;33(5):977-985 e975.

6. ArthroCare 2019. Comparative Testing of Bone Anchor Devices, 1.8mm Q-FIX Mini Soft Suture Anchor P/N 49193-02 Rev.B. 7. Nagra NS, Zargar N, Smith RD, Carr AJ. Mechanical properties of all-suture anchors for rotator cuff repair. Bone Joint Res. 2017;6(2):82-89. 8. Ruder JA, Dickinson EY, Peindl RD, Habet NA, Trofa DP, Fleischli JE. Cyclic and Load-to-Failure Properties of All-Suture Anchors in Human Cadaveric Shoulder Glenoid Bone. Arthroscopy. 2019;35(7):1954-1959 e1954. 9. Bernardoni E, Frank RM, Veera SS, et al. Biomechanical Analysis of All-Suture Anchor Fixation for Rotator Cuff Repair. Orthop J Sports Med. 2018;6(7 suppl4). 10. Saper MG, Meijer K, Winnier S, Popovich J, Jr., Andrews JR, Roth C. Biomechanical Evaluation of Classic Solid and All-Soft Suture Anchors for Medial Patellofemoral Ligament Reconstruction. Am J Sports Med. 2017;45(7):1622-1626.

11. ArthroCare Corporation 2017. Report: Design Validation, Q-FIX Reusable Curved Drill Guides and Disposable Flex Drill, Irvine CA P/N 92017-01 Rev. A. 12. Smith+Nephew 2017. Q-FIX Family Drill Deviation 15007031 A. 13. Smith+Nephew 2016.Feasability, MINITAPE Knot Stack Evaluation and Knot Security. 15005268. Rev A. 14. Smith+Nephew 2013.ULTRATAPE Pressure Film Testing. 15001847. Rev A. 15. Smith+Nephew 2017. Verification, MINITAPE Suture Manipulation Instrument Compatibility. 15005671. Rev A.