

SKIN-PREP Wipes Sterile/ CE Marked

Safety Data Sheet

according to Federal Register Vol. 89, No. 98 Monday, May 20, 2024 Rules and Regulations
SDS Reference Number: CSSS-TCO-010-163684
Issue date: 11/22/2024 Revision date: 11/22/2024 Version: 1.0

SECTION 1: Identification

1.1. Identification

Product form : Mixture
Product name : SKIN-PREP Wipes Sterile/ CE Marked

1.2. Recommended use and restrictions on use

Use of the substance/mixture : Skin Preparation. External use only.
Restrictions on use : Not available

1.3. Supplier

Legal Manufacturer

Smith & Nephew Medical Limited
101 Hessle Road
Yorkshire
Hull
HU3 2BN
United Kingdom

T: +44 (0)1482 225181

1.4. Emergency telephone number

Emergency number : 911 (24 Hours)
1-800-424-9300 (Chemtrec 24 Hours)

1.5. Contact web address

Contact web address : <https://www.smith-nephew.com/en/contact-us#general>

SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture

GHS US classification

| | | |
|--|------|-----------------------------------|
| Flammable liquids Category 2 | H225 | Highly flammable liquid and vapor |
| Serious eye damage/eye irritation Category 2A | H319 | Causes serious eye irritation |
| Specific target organ toxicity – Single exposure, Category 3, Narcosis | H336 | May cause drowsiness or dizziness |

Full text of H statements : see section 16

SKIN-PREP Wipes Sterile/ CE Marked

Safety Data Sheet

according to Federal Register Vol. 89, No. 98 Monday, May 20, 2024 Rules and Regulations

2.2. GHS Label elements, including precautionary statements

GHS US labeling

Hazard pictograms (GHS US)



Signal word (GHS US)

: Danger

Hazard statements (GHS US)

: H225 - Highly flammable liquid and vapor
H319 - Causes serious eye irritation
H336 - May cause drowsiness or dizziness

Precautionary statements (GHS US)

: P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P233 - Keep container tightly closed.
P240 - Ground/Bond container and receiving equipment.
P241 - Use explosion-proof electrical/ventilating/lighting equipment.
P242 - Use only non-sparking tools.
P243 - Take precautionary measures against static discharge.
P261 - Avoid breathing dust/fume/gas/mist/vapors/spray.
P264 - Wash hands, forearms and face thoroughly after handling.
P271 - Use only outdoors or in a well-ventilated area.
P280 - Wear protective gloves/protective clothing/eye protection/face protection.
P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P312 - Call a poison center or doctor if you feel unwell.
P337+P313 - If eye irritation persists: Get medical advice/attention.
P370+P378 - In case of fire: Use dry powder, foam, carbon dioxide to extinguish.
P403+P233 - Store in a well-ventilated place. Keep container tightly closed.
P403+P235 - Store in a well-ventilated place. Keep cool.
P405 - Store locked up.
P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity (GHS US)

No additional information available

SKIN-PREP Wipes Sterile/ CE Marked

Safety Data Sheet

according to Federal Register Vol. 89, No. 98 Monday, May 20, 2024 Rules and Regulations

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

| Name | Product identifier | % | GHS US classification |
|---|---------------------|----------|--|
| 2-Propanol | CAS-No.: 67-63-0 | 75 – 100 | Flam. Liq. 2, H225 Eye Irrit. 2A, H319 STOT SE 3, H336 |
| (Z)-2-Butenedioic acid monobutyl ester polymer with methoxyethene | CAS-No.: 25119-68-0 | 10 – 25 | Not classified |

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures

4.1. Description of first aid measures

| | |
|---------------------------------------|--|
| First-aid measures general | : Call a poison center/doctor/physician if you feel unwell. |
| First-aid measures after inhalation | : Remove person to fresh air and keep comfortable for breathing. If breathing stops, give artificial respiration. If necessary seek medical advice. |
| First-aid measures after skin contact | : Rinse skin with water/shower. Remove/Take off immediately all contaminated clothing. |
| First-aid measures after eye contact | : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. |
| First-aid measures after ingestion | : Do not induce vomiting. Call a poison center/doctor/physician if you feel unwell. |

4.2. Most important symptoms and effects (acute and delayed)

| | |
|-------------------------------------|---|
| Symptoms/effects | : May cause drowsiness or dizziness. |
| Symptoms/effects after inhalation | : Although no appropriate human or animal health effects data are known to exist, this material is expected to be an inhalation hazard. |
| Symptoms/effects after skin contact | : None under normal conditions. |
| Symptoms/effects after eye contact | : Eye irritation. |
| Symptoms/effects after ingestion | : None under normal conditions. |

4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

| | |
|--------------------------------|-------------------------------------|
| Suitable extinguishing media | : Dry powder. Foam. Carbon dioxide. |
| Unsuitable extinguishing media | : Do not use a heavy water stream. |

5.2. Specific hazards arising from the chemical

| | |
|--|--------------------------------------|
| Fire hazard | : Highly flammable liquid and vapor. |
| Explosion hazard | : No direct explosion hazard. |
| Hazardous decomposition products in case of fire | : Toxic fumes may be released. |

SKIN-PREP Wipes Sterile/ CE Marked

Safety Data Sheet

according to Federal Register Vol. 89, No. 98 Monday, May 20, 2024 Rules and Regulations

5.3. Special protective equipment and precautions for fire-fighters

- | | | |
|--------------------------------|---|---|
| Firefighting instructions | : | Fight fire from safe distance and protected location. Do not enter fire area without proper protective equipment, including respiratory protection. |
| Protection during firefighting | : | Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing. |

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

- | | | |
|------------------|---|---|
| General measures | : | Stop leak if safe to do so. Notify authorities if product enters sewers or public waters. Absorb spillage to prevent material-damage. |
|------------------|---|---|

6.1.1. For non-emergency personnel

- | | | |
|----------------------|---|--|
| Protective equipment | : | Wear recommended personal protective equipment. |
| Emergency procedures | : | Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid breathing dust/fume/gas/mist/vapors/spray. Avoid contact with skin and eyes. |

6.1.2. For emergency responders

- | | | |
|----------------------|---|---|
| Protective equipment | : | Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection". |
| Emergency procedures | : | Evacuate unnecessary personnel. Stop leak if safe to do so. |

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

- | | | |
|-------------------------|---|---|
| For containment | : | Absorb spilled material with sand or earth. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Stop leak, if possible without risk. |
| Methods for cleaning up | : | Take up liquid spill into absorbent material. Wipe up with absorbent material (for example cloth). Notify authorities if product enters sewers or public waters. |
| Other information | : | Dispose of materials or solid residues at an authorized site. |

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

- | | | |
|-----------------------------------|---|--|
| Additional hazards when processed | : | Not expected to present a significant hazard under anticipated conditions of normal use. |
| Precautions for safe handling | : | Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Flammable vapors may accumulate in the container. Use explosion-proof equipment. Wear personal protective equipment. Use only outdoors or in a well-ventilated area. Avoid breathing dust/fume/gas/mist/vapors/spray. Avoid contact with skin and eyes. |
| Hygiene measures | : | Do not eat, drink or smoke when using this product. Always wash hands after handling the product. |

SKIN-PREP Wipes Sterile/ CE Marked

Safety Data Sheet

according to Federal Register Vol. 89, No. 98 Monday, May 20, 2024 Rules and Regulations

7.2. Conditions for safe storage, including any incompatibilities

| | |
|---------------------|---|
| Technical measures | : Ground/bond container and receiving equipment. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. |
| Storage conditions | : Store in a well-ventilated place. Keep cool. Keep container tightly closed. Store locked up. |
| Storage temperature | : ≤ 25 °C |
| Packaging materials | : Store always product in container of same material as original container. |

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

| 2-Propanol (67-63-0) | |
|--|--|
| USA - ACGIH - Occupational Exposure Limits | |
| Local name | 2-Propanol |
| ACGIH OEL TWA | 200 ppm |
| ACGIH OEL STEL | 400 ppm |
| Remark (ACGIH) | TLV® Basis: Eye & URT irr; CNS impair. Notations: A4 (Not classifiable as a Human Carcinogen); BEI |
| Regulatory reference | ACGIH 2024 |
| USA - ACGIH - Biological Exposure Indices | |
| Local name | 2-Propanol |
| BEI | 40 mg/l Parameter: Acetone - Medium: urine - Sampling time: End of shift at end of workweek - Notations: B, Ns |
| Regulatory reference | ACGIH 2024 |
| USA - OSHA - Occupational Exposure Limits | |
| Local name | Isopropyl alcohol |
| OSHA PEL TWA | 980 mg/m³ |
| | 400 ppm |
| Regulatory reference (US-OSHA) | OSHA Annotated Table Z-1 |

8.2. Appropriate engineering controls

| | |
|----------------------------------|--|
| Appropriate engineering controls | : Ensure good ventilation of the work station. |
| Environmental exposure controls | : Avoid release to the environment. |

8.3. Individual protection measures/Personal protective equipment

Personal protective equipment:
Wear recommended personal protective equipment.

| |
|-------------------------|
| Hand protection: |
| Protective gloves |
| Eye protection: |
| Safety glasses |

SKIN-PREP Wipes Sterile/ CE Marked

Safety Data Sheet

according to Federal Register Vol. 89, No. 98 Monday, May 20, 2024 Rules and Regulations

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

Personal protective equipment symbol(s):



SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| | |
|---|---|
| Physical state | : Liquid |
| Appearance | : Liquid. |
| Color | : Clear colorless |
| Odor | : Alcohol |
| Odor threshold | : No data available |
| pH | : No data available |
| Melting point | : Not applicable |
| Freezing point | : No data available |
| Boiling point | : 180 °F |
| Flash point | : 11.7 °C |
| Relative evaporation rate (butyl acetate=1) | : No data available |
| Flammability (solid, gas) | : No data available |
| Vapor pressure | : 33 mm Hg |
| Relative vapor density at 20°C | : 2.1 |
| Relative density | : 0.85 ,25°C |
| Solubility | : Water: Miscible |
| Partition coefficient n-octanol/water (Log Pow) | : No data available |
| Auto-ignition temperature | : No data available |
| Decomposition temperature | : No data available |
| Viscosity, kinematic | : No data available |
| Viscosity, dynamic | : No data available |
| Explosion limits | : Lower explosion limit: 2.5 vol % Upper explosion limit: 12 vol % |
| Explosive properties | : No data available |
| Oxidizing properties | : No data available |
| Evaporation rate | : 2.83 (nBuAc = 1) |

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Highly flammable liquid and vapor.

SKIN-PREP Wipes Sterile/ CE Marked

Safety Data Sheet

according to Federal Register Vol. 89, No. 98 Monday, May 20, 2024 Rules and Regulations

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

10.5. Incompatible materials

Strong oxidizing agents.

10.6. Hazardous decomposition products

Carbon monoxide and unidentified organic compounds may be formed during combustion.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

2-Propanol (67-63-0)

| | |
|--------------------|------------|
| LD50 oral rat | 5.84 g/kg |
| LD50 dermal rabbit | 16.4 ml/kg |

Skin corrosion/irritation : Not classified
Serious eye damage/irritation : Causes serious eye irritation.
Respiratory or skin sensitization : Not classified
Germ cell mutagenicity : Not classified
Carcinogenicity : Not classified

SKIN-PREP Wipes Sterile/ CE Marked

| | |
|--|----------------|
| IARC group | Not applicable |
| National Toxicity Program (NTP) Status | Not applicable |

2-Propanol (67-63-0)

| | |
|------------|----------------------|
| IARC group | 3 - Not classifiable |
|------------|----------------------|

Reproductive toxicity : Not classified
STOT-single exposure : May cause drowsiness or dizziness.
STOT-repeated exposure : Not classified
Aspiration hazard : Not classified
Symptoms/effects : May cause drowsiness or dizziness.
Symptoms/effects after inhalation : Although no appropriate human or animal health effects data are known to exist, this material is expected to be an inhalation hazard.
Symptoms/effects after skin contact : None under normal conditions.
Symptoms/effects after eye contact : Eye irritation.
Symptoms/effects after ingestion : None under normal conditions.

SKIN-PREP Wipes Sterile/ CE Marked

Safety Data Sheet

according to Federal Register Vol. 89, No. 98 Monday, May 20, 2024 Rules and Regulations

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.

2-Propanol (67-63-0)

| | |
|---------------------|-----------|
| LC50 96h - Fish [1] | 9640 mg/l |
|---------------------|-----------|

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Disposal methods

| | |
|--|---|
| Regional waste regulation | : Disposal must be done according to official regulations. |
| Waste treatment methods | : Dispose of contents/container in accordance with licensed collector's sorting instructions. |
| Sewage disposal recommendations | : Disposal must be done according to official regulations. |
| Product/Packaging disposal recommendations | : Disposal must be done according to official regulations. |
| Additional information | : Flammable vapors may accumulate in the container. Do not re-use empty containers. |

SECTION 14: Transport information

In accordance with DOT / TDG / IMDG / IATA

14.1. UN number

| | |
|---------------|----------|
| UN-No.(DOT) | : UN3175 |
| UN-No. (TDG) | : UN3175 |
| UN-No. (IMDG) | : 3175 |
| UN-No. (IATA) | : 3175 |

14.2. UN proper shipping name

| | |
|-----------------------------|--|
| Proper Shipping Name (DOT) | : Solids containing flammable liquid, n.o.s. (Isopropyl Alcohol) |
| Proper Shipping Name (TDG) | : SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (Isopropyl Alcohol) |
| Proper Shipping Name (IMDG) | : SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (Isopropyl Alcohol) |
| Proper Shipping Name (IATA) | : Solids containing flammable liquid, n.o.s. (Isopropyl Alcohol) |

14.3. Transport hazard class(es)

DOT

Transport hazard class(es) (DOT) : 4.1

SKIN-PREP Wipes Sterile/ CE Marked

Safety Data Sheet

according to Federal Register Vol. 89, No. 98 Monday, May 20, 2024 Rules and Regulations

Hazard labels (DOT) : 4.1



TDG

Transport hazard class(es) (TDG) : 4.1

Hazard labels (TDG) : 4.1



IMDG

Transport hazard class(es) (IMDG) : 4.1

Hazard labels (IMDG) : 4.1



IATA

Transport hazard class(es) (IATA) : 4.1

Hazard labels (IATA) : 4.1



14.4. Packing group

Packing group (DOT) : II

Packing group (TDG) : II

Packing group (IMDG) : II

Packing group (IATA) : II

14.5. Environmental hazards

Other information : No supplementary information available.

14.6. Special precautions for user

DOT

UN-No.(DOT) : UN3175

SKIN-PREP Wipes Sterile/ CE Marked

Safety Data Sheet

according to Federal Register Vol. 89, No. 98 Monday, May 20, 2024 Rules and Regulations

| | |
|--|---|
| DOT Special Provisions (49 CFR 172.102) | : 47 - Mixtures of solids that are not subject to this subchapter and flammable liquids may be transported under this entry without first applying the classification criteria of Division 4.1, provided there is no free liquid visible at the time the material is loaded or at the time the packaging or transport unit is closed. Except when the liquids are fully absorbed in solid material contained in sealed bags, each packaging must correspond to a design type that has passed a leakproofness test at the Packing Group II level. Small inner packaging consisting of sealed packets containing less than 10 mL of a Class 3 liquid in Packing Group II or III absorbed into a solid material are not subject to this subchapter provided there is no free liquid in the packet. IB6 - Authorized IBCs: Metal (11A, 11B, 11N, 21A, 21B, 21N, 31A, 31B and 31N); Rigid plastics (11H1, 11H2, 21H1, 21H2, 31H1 and 31H2); Composite (11HZ1, 11HZ2, 21HZ1, 21HZ2, 31HZ1 and 31HZ2). Additional Requirement: Composite IBCs 11HZ2 and 21HZ2 may not be used when the hazardous materials being transported may become liquid during transport. IP2 - When IBCs other than metal or rigid plastics IBCs are used, they must be offered for transportation in a closed freight container or a closed transport vehicle. T3 - 2.65 178.274(d)(2) Normal..... 178.275(d)(2) TP33 - The portable tank instruction assigned for this substance applies for granular and powdered solids and for solids which are filled and discharged at temperatures above their melting point which are cooled and transported as a solid mass. Solid substances transported or offered for transport above their melting point are authorized for transportation in portable tanks conforming to the provisions of portable tank instruction T4 for solid substances of packing group III or T7 for solid substances of packing group II, unless a tank with more stringent requirements for minimum shell thickness, maximum allowable working pressure, pressure-relief devices or bottom outlets are assigned in which case the more stringent tank instruction and special provisions shall apply. Filling limits must be in accordance with portable tank special provision TP3. Solids meeting the definition of an elevated temperature material must be transported in accordance with the applicable requirements of this subchapter. |
| DOT Packaging Exceptions (49 CFR 173.xxx) | : 151 |
| DOT Packaging Non Bulk (49 CFR 173.xxx) | : 212 |
| DOT Packaging Bulk (49 CFR 173.xxx) | : 240 |
| DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27) | : 15 kg |
| DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75) | : 50 kg |
| DOT Vessel Stowage Location | : B - (i) The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel carrying a number of passengers limited to not more than the larger of 25 passengers, or one passenger per each 3 m of overall vessel length; and (ii) "On deck only" on passenger vessels in which the number of passengers specified in paragraph (k)(2)(i) of this section is exceeded. |
| TDG UN-No. (TDG) | : UN3175 |

SKIN-PREP Wipes Sterile/ CE Marked

Safety Data Sheet

according to Federal Register Vol. 89, No. 98 Monday, May 20, 2024 Rules and Regulations

| | |
|---|--|
| TDG Special Provisions | : 16 - (1) The technical name of at least one of the most dangerous substances that predominantly contributes to the danger or dangers posed by the dangerous goods must be shown, in parentheses, on the shipping document following the shipping name in accordance with clause 3.5(1)(c)(ii)(A). The technical name must also be shown, in parentheses, on a small means of containment or on a tag following the shipping name in accordance with subsections 4.11(2) and (3). (2) Despite subsection (1), the technical name for the following dangerous goods is not required to be shown on a shipping document or on a small means of containment when Canadian law for domestic transport or an international convention for international transport prohibits the disclosure of the technical name: (a) UN1544, ALKALOID SALTS, SOLID, N.O.S. or ALKALOIDS, SOLID, N.O.S; (b) UN1851, MEDICINE, LIQUID, TOXIC, N.O.S; (c) UN3140, ALKALOID SALTS, LIQUID, N.O.S. or ALKALOIDS, LIQUID, N.O.S; (d) UN3248, MEDICINE, LIQUID, FLAMMABLE, TOXIC, N.O.S; or (e) UN3249, MEDICINE, SOLID, TOXIC, N.O.S. (3) Despite subsection (1), the technical name for the following dangerous goods is not required to be shown on a small means of containment: (a) UN2814, INFECTIOUS SUBSTANCE, AFFECTING HUMANS; or (b) UN2900, INFECTIOUS SUBSTANCE, AFFECTING ANIMALS, 56 - (1) When solids that are not dangerous goods, and liquids included in Class 3, Flammable Liquids, are in a mixture, the mixture may be handled, offered for transport or transported under this shipping name without the tests and criteria for including substances in Class 4.1, Flammable Solids, first being applied to them, if (a) there is no visible liquid at the time the mixture is loaded into a means of containment or at the time the means of containment is closed; and (b) each means of containment is leakproof. (2) These Regulations, except for Part 1 (Coming into Force, Repeal, Interpretation, General Provisions and Special Cases) and Part 2 (Classification), do not apply to a sealed packet or article containing less than 10 mL of dangerous goods included in Class 3, Flammable Liquids, packing group II or III, if there is no free liquid in the packet or article. |
| Explosive Limit and Limited Quantity Index | : 1 kg |
| Excepted quantities (TDG) | : E2 |
| Passenger Carrying Road Vehicle or Passenger Carrying Railway Vehicle Index | : 15 kg |
| Emergency Response Guide (ERG) Number | : 133 |
| IMDG | |
| Special provision (IMDG) | : 216, 274 |
| Limited quantities (IMDG) | : 1 kg |
| Excepted quantities (IMDG) | : E2 |
| Packing instructions (IMDG) | : P002 |
| Packing provisions (IMDG) | : PP9 |
| IBC packing instructions (IMDG) | : IBC06 |
| IBC special provisions (IMDG) | : B21 |
| Tank instructions (IMDG) | : T3, BK2 |
| Tank special provisions (IMDG) | : TP33 |
| EmS-No. (Fire) | : F-A - FIRE SCHEDULE Alfa - GENERAL FIRE SCHEDULE |
| EmS-No. (Spillage) | : S-I - SPILLAGE SCHEDULE India - FLAMMABLE SOLIDS (REPACKING POSSIBLE) |
| Stowage category (IMDG) | : B |
| Properties and observations (IMDG) | : Mixtures of non-dangerous solids (such as soil, sand, production materials etc.) and flammable liquids. |
| IATA | |
| PCA Excepted quantities (IATA) | : E2 |
| PCA Limited quantities (IATA) | : Y441 |
| PCA limited quantity max net quantity (IATA) | : 5kg |

SKIN-PREP Wipes Sterile/ CE Marked

Safety Data Sheet

according to Federal Register Vol. 89, No. 98 Monday, May 20, 2024 Rules and Regulations

| | |
|---------------------------------|--------|
| PCA packing instructions (IATA) | : 445 |
| PCA max net quantity (IATA) | : 15kg |
| CAO packing instructions (IATA) | : 448 |
| CAO max net quantity (IATA) | : 50kg |
| Special provision (IATA) | : A46 |
| ERG code (IATA) | : 3L |

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. US Federal regulations

SKIN-PREP Wipes Sterile/ CE Marked

| | |
|-------------------------------------|---|
| SARA Section 311/312 Hazard Classes | Physical hazard - Flammable (gases, aerosols, liquids, or solids) Health hazard - Specific target organ toxicity (single or repeated exposure) Health hazard - Serious eye damage or eye irritation |
|-------------------------------------|---|

Commercial status of components according to the United States Environmental Protection Agency's Toxic Substances Control Act (TSCA):

| Name | CAS-No. | Listing | Commercial status | Flags |
|---|------------|---------|-------------------|-------|
| 2-Propanol | 67-63-0 | Present | Active | |
| (Z)-2-Butenedioic acid monobutyl ester polymer with methoxyethene | 25119-68-0 | Present | Active | XU |

2-Propanol (67-63-0)

Subject to reporting requirements of United States SARA Section 313

15.2. International regulations

CANADA

2-Propanol (67-63-0)

Listed on the Canadian DSL (Domestic Substances List)

(Z)-2-Butenedioic acid monobutyl ester polymer with methoxyethene (25119-68-0)

Listed on the Canadian DSL (Domestic Substances List)

EU-Regulations

No additional information available

National regulations

2-Propanol (67-63-0)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

15.3. US State regulations

No additional information available

SKIN-PREP Wipes Sterile/ CE Marked

Safety Data Sheet

according to Federal Register Vol. 89, No. 98 Monday, May 20, 2024 Rules and Regulations

SECTION 16: Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Revision date : 11/22/2024

| Full text of hazard classes and H-statements | |
|--|-----------------------------------|
| H225 | Highly flammable liquid and vapor |
| H319 | Causes serious eye irritation |
| H336 | May cause drowsiness or dizziness |

Safety Data Sheet (SDS), USA

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.