



ACTICOAT[◇] dressings offer broad-spectrum antimicrobial activity (*in vitro*)¹⁻⁸



ACTICOAT dressings are proven effective against 150+ pathogens, including multiple strains of MRSA (*in vitro*)¹⁻⁸

Antibiotic-resistant bacteria

MRSA Includes epidemic MRSA (EMRSA) strains 15 and 16, and Community Acquired strains USA 100, 200, 300, and 500

VRE (2)

Multi-drug resistant pathogens NDM-1/CRE pathogens

Acinetobacter baumannii, *Citrobacter freundii*, *Enterobacter sp.*, *Escherichia coli*, and *Klebsiella pneumoniae*. Single strain of each tested.

Gram-negative bacteria

- *Acinetobacter sp.*
- *Aeromonas caviae*
- *Aeromonas hydrophila*
- *Alcaligenes sp.*
- *Branhamella catarrhalis* (2)
- *Burkholderia cepacia*
- *Citrobacter amalonaticus*
- *Citrobacter diversus* (2)
- *Citrobacter freundii* (4)
- *Citrobacter koseri*
- *Coliforms*
- *Escherichia coli* (24)
- *Escherichia vulneris*

- *Klebsiella orthinolytica*
- *Klebsiella oxytoca* (2)
- *Klebsiella ozaenae* (2)
- *Klebsiella pneumoniae* (3)
- *Proteus mirabilis* (2)
- *Proteus sp.*
- *Proteus vulgaris* (2)
- *Providencia alcalifaciens*
- *Providencia rettgeri*
- *Providencia stuartii* (3)
- *Pseudomonas aeruginosa* (15)
- *Pseudomonas alcaligenes*
- *Pseudomonas cepacia*
- *Pseudomonas fluorescens*
- *Pseudomonas luteola* (2)
- *Pseudomonas sp.*
- *Pseudomonas stutzeri* (2)
- *Serratia marcescens*
- *Xanthomonas maltophilia* (2)

Gram-positive bacteria

- *Bacillus cereus* (4)
- *Bacillus circulans*
- *Bacillus licheniformis* (3)
- *Bacillus sp.*
- *Bacillus subtilis*
- *Corynebacterium minutissimum* (2)
- *Listeria monocytogenes* (7)

- *Staphylococcus aureus* (12)
- *Staphylococcus epidermidis* (4)
- *Staphylococcus haemolyticus* (3)
- *Staphylococcus hominis*
- *Staphylococcus lugdunensis* (3)
- *Staphylococcus saprophyticus* (2)
- *Staphylococcus schleiferi* (3)
- *Staphylococcus xylosus*
- *Staphylococcus mitis*
- *Streptococcus sp.*

Anaerobes

- *Bacteroides fragilis*
- *Enterobacter aerogenes*
- *Enterobacter agglomerans* (2)
- *Enterobacter cloacae* (7)
- *Salmonella montevideo*
- *Salmonella typhimurium* (2)

Fungal Organisms

- *Candida glabrata*
- *Candida albicans*
- *Candida tropicalis*
- *Saccharomyces cerevisiae*
- *Aspergillus fumigatus*


■ S. aureus (17%) ■ Streptococcus sp. (1%) ■ Coagulase-negative Staphylococci (18%) ■ Firmicutes (11%) ■ P. aeruginosa (7%)
■ Enterobacter (3%) ■ Klebsiella 2%) ■ Acinetobacter (24%) ■ Bacteroidetes (3%) ■ Proteobacteria, E. Coli (9%)

Note: The numbers in parentheses indicate the number of bacterial strains tested.

ACTICOAT[®] Dressing Ordering Information

ACTICOAT

Size	Code	Pcs/pkg
5cmx5cm	20601	5
10cmx10cm	20101	12
10cmx20cm	20201	12
20cmx40cm	20301	6
40cm x40cm	20401	6
10cmx120cm	20501	6



ACTICOAT 7

Size	Code	Pcs/pkg
5cmx5cm	20341	5
10cmx12.5cm	20141	5
15cmx15cm	20241	5



ACTICOAT Flex 3

Size	Code	Pcs/pkg
5cmx5cm	66800396	5
10cmx10cm	66800399	12
10cmx20cm	66800409	12
20cmx40cm	66800419	6
40cmx40cm	66800432	6
10cmx120cm	66800435	6



ACTICOAT Flex 7

Size	Code	Pcs/pkg
5cmx5cm	66800395	5
10cmx12.5cm	66800397	5
15cmx15cm	66800420	5
2.5cmx60cm	66800545	5



References

1. *In vitro* study data on file: Scientific Background #0109003 and #0107010.
2. Wright JB, et al. Efficacy of topical silver against fungal burn wound pathogens. *Am J Infect Control*. 1999;27:344-350.
3. Maple PA, et al. Comparison of the *in vitro* activities of the topical antimicrobials azelaic acid, nitrofurazone, SSD and mupirocin against MRSA. *Journal of Antimicrobial Chemotherapy*. 1992;29:661-668.
4. DOF: 194-03-01 (IV 134/03/01). The *in vitro* activity of silver sulphadiazine and cadexomer iodine against recent clinical isolates of methicillin-resistant staphylococcus aureus, methicillin-resistant coagulase negative staphylococci and Pseudomonas aeruginosa. 2001, GR Micro, London, UK (independent/3rd party).
5. Hope R, et al. The *in vitro* antibacterial activity of Nanocrystalline Silver dressings against bacteria with NDM-1 carbapenemase. Poster presentation, EWMA, Vienna 2012.
6. *In vitro* study data on file: Scientific Background #050503 and 010718.
7. DOF: 0812023. Antimicrobial activity of ACTICOAT Flex 3 against pathogenic wound pathogens.
8. Gago et al. A comparison of three silver-containing dressings in the treatment of infected, chronic wounds. *Wounds* 2008, 20(10):273-8

For detailed product information, including indications for use, contraindications, effects, precautions and warnings, please consult the product's Instructions for Use (IFU) prior to use.