



ACTICOAT<sup>◇</sup> dressings offer broad-spectrum antimicrobial activity (*in vitro*)<sup>1-8</sup>

ACTICOAT<sup>◇</sup>  
Antimicrobial Barrier Dressings



ACTICOAT dressings are proven effective against 150+ pathogens, including multiple strains of MRSA (*in vitro*)<sup>1-8</sup>

#### Antibiotic-resistant bacteria MRSA

Includes epidemic MRSA (EMRSA) strains 15 and 16, and Community Acquired strains USA 100, 200, 300, and 500

#### VRE (2) Multi-drug resistant pathogens NDM-1/CRE pathogens

*Acinetobacter baumannii*, *Citrobacter freundii*, *Enterobacter sp.*, *Escherichia coli*, and *Klebsiella pneumoniae*. Single strain of each tested.

#### Gram-negative bacteria

- *Acinetobacter sp.*
- *Aeromonas caviae*
- *Aeromonas hydrophila*
- *Alcaligenes sp.*
- *Branhamella catarrhalis* (2)
- *Burkholderia cepacia*
- *Citrobacter amalonaticus*
- *Citrobacter diversus* (2)
- *Citrobacter freundii* (4)
- *Citrobacter koseri*
- Coliforms
- *Escherichia coli* (24)
- *Escherichia vulneris*

- *Klebsiella orthinolytica*
- *Klebsiella oxytoca* (2)
- *Klebsiella ozaenae* (2)
- *Klebsiella pneumoniae* (3)
- *Proteus mirabilis* (2)
- *Proteus sp.*
- *Proteus vulgaris* (2)
- *Providencia alcalifaciens*
- *Providencia rettgeri*
- *Providencia stuartii* (3)
- *Pseudomonas aeruginosa* (15)
- *Pseudomonas alcaligenes*
- *Pseudomonas cepacia*
- *Pseudomonas fluorescens*
- *Pseudomonas luteola* (2)
- *Pseudomonas sp.*
- *Pseudomonas stutzeri* (2)
- *Serratia marcescens*
- *Xanthomonas maltophilia* (2)

#### Gram-positive bacteria

- *Bacillus cereus* (4)
- *Bacillus circulans*
- *Bacillus licheniformis* (3)
- *Bacillus sp.*
- *Bacillus subtilis*
- *Corynebacterium minutissimum* (2)
- *Listeria monocytogenes* (7)

- *Staphylococcus aureus* (12)
- *Staphylococcus epidermidis* (4)
- *Staphylococcus haemolyticus* (3)
- *Staphylococcus hominis*
- *Staphylococcus lugdunensis* (3)
- *Staphylococcus saprophyticus* (2)
- *Staphylococcus schleiferi* (3)
- *Staphylococcus xylosus*
- *Staphylococcus mitis*
- *Streptococcus sp.*

#### Anaerobes

- *Bacteroides fragilis*
- *Enterobacter aerogenes*
- *Enterobacter agglomerans* (2)
- *Enterobacter cloacae* (7)
- *Salmonella montevideo*
- *Salmonella typhimurium* (2)

#### Fungal Organisms

- *Candida glabrata*
- *Candida albicans*
- *Candida tropicalis*
- *Saccharomyces cerevisiae*
- *Aspergillus fumigatus*




**Note:** The numbers in parentheses indicate the number of bacterial strains tested.

## ACTICOAT<sup>◇</sup> Dressing Ordering Information

ACTICOAT<sup>◇</sup>  
Antimicrobial Barrier Dressings

### ACTICOAT

Size	Code	Pcs/pkg	Pkgs/unit
2" x 2"	20601	5	20
4" x 4"	20101	12	4
4" x 8"	20201	12	4
4" x 48"	20501	6	2
5" x 5"	20151	5	5
8" x 16"	20301	6	4
16" x 16"	20401	6	2




### ACTICOAT 7

Size	Code	Pcs/pkg	Pkgs/unit
2" x 2"	20341	5	20
4" x 5"	20141	5	6
6" x 6"	20241	5	4



### ACTICOAT Flex 3

Size	Code	Pcs/pkg	Pkgs/unit
2" x 2"	66800402	5	20
4" x 4"	66800406	12	4
4" x 8"	66800417	12	4
4" x 48"	66800434	6	2
8" x 16"	66800418	6	4
16" x 16"	66800433	6	2



### ACTICOAT Flex 7

Size	Code	Pcs/pkg	Pkgs/unit
1" x 24"	66800544	5	10
2" x 2"	66800403	5	20
4" x 5"	66800405	5	6
6" x 6"	66800427	5	4
8" x 16"	66800407	6	4
16" x 16"	66800408	6	2



#### References

1. In vitro study data on file: Scientific Background #0109003 and #0107010.
2. Wright JB, et al. Efficacy of topical silver against fungal burn wound pathogens. Am J Infect Control. 1999;27:344-350.
3. Maple PA, et al. Comparison of the in vitro activities of the topical antimicrobials azelaic acid, nitrofurazone, SSD and mupirocin against MRSA. Journal of Antimicrobial Chemotherapy. 1992;29:661-668.
4. DOF: 194-03-01 (IV 134/03/01). The in vitro activity of silver sulphadiazine and cadexomer iodine against recent clinical isolates of methicillinresistant staphylococcus aureus, methicillinresistance coagulase negative staphylococci and Pseudomonas aeruginosa. 2001, GR Micro, London, UK (independent/3rd party).
5. Hope R, et al. The in vitro antibacterial activity of Nanocrystalline Silver dressings against bacteria with NDM-1 carbapenemase. Poster presentation, EWMA, Vienna 2012.
6. In vitro study data on file: Scientific Background #050503 and 010718.
7. DOF: 0812023. Antimicrobial activity of ACTICOAT Flex 3 against pathogenic wound pathogens.
8. Gago et al. A comparison of three silver-containing dressings in the treatment of infected, chronic wounds. Wounds 2008, 20(10):273-8

For detailed product information, including indications for use, contraindications, effects, warnings and precautions, please consult the product's Instructions for Use (IFU) prior to use.

Advanced Wound Management  
Smith & Nephew  
Fort Worth, TX 76109 USA

1 800 876-1261  
T 727 392-1261  
F 727 392-6914

◇Trademark of Smith+Nephew  
©2022 Smith+Nephew  
ACBE3-32565-0322

[www.smith-nephew.com](http://www.smith-nephew.com)