

Preventive skin care for maintaining skin integrity and hygiene

Smith+Nephew

SECURA[◊]

Skin Care

NO-STING SKIN-PREP[◊]

Skin Protectants



Pressure injuries are on the rise

While other hospital-acquired conditions are declining, hospital-acquired pressure injuries (HAPIs) are on the rise,¹ which can lead to a huge cost in facility resources – and, more importantly, in patient lives.



\$21,767

average incremental cost of treating a pressure injury²



9.5

days additional hospital stay per pressure injury²



60,000

Americans die each year from pressure injury complications³

It all starts with skin

The 2019 NPIAP international clinical guidelines provide evidence-based best practice recommendations for the prevention of pressure injuries.

As the first line of defense, the guidelines recommend a comprehensive skin care regimen.⁴

- Keep skin clean (avoid use of alkaline soaps and cleansers) and appropriately hydrated
- Cleanse skin promptly after episodes of incontinence
- Protect skin from moisture with a barrier product

Discover a product portfolio that supports these new guidelines

Our comprehensive skin care range, including SECURA[®] Skin Care and NO-STING SKIN-PREP[®] Skin Protectant, can contribute to pressure injury prevention as part of a wider care plan.^{4,5} This range includes products in four key areas.

Cleanse | Protect | Moisturize | Treat



Learn more about our entire pressure injury prevention portfolio at www.partnersinprevention.com.

SECURA[◇] Total Body Foam Cleanser and Personal Cleanser

No-rinse foam or spray cleanser for head-to-toe body and hair cleansing. Aids in the removal of urine and feces or other foreign material. For everyday use.⁶

- pH-balanced⁷
- Hypoallergenic, non-allergenic, non-sensitizing and non-irritating formula⁶
- Formulated to help minimize odor
- Surfactants emulsify blood, stool and zinc⁸
- Suitable for pediatric use on full-term infants 0-36 months^{6,9}
- Chlorhexidine gluconate (CHG) compatible^{10,11}

Recommended for use with SECURA Moisturizing Cream, SECURA Dimethicone Protectant or SECURA Extra Protective Cream



Item #	Size	Units/Case
59430200	4.5 oz. foam	12
59430300	8.5 oz. foam	12
59430400	8 oz. spray	24

SECURA[◇] Dimethicone Protectant

A dimethicone-based skin barrier that can also be used to moisturize and condition skin. Effective on intact and compromised skin.¹²

- Fragrance-free¹³
- Helps prevent and temporarily protect chafed, chapped, cracked or wind-burned skin or lips¹²
- Transparent application allows for visual skin inspection¹⁴
- Helps treat and prevent incontinence-associated dermatitis, diaper dermatitis and skin maceration¹²
- Maintains skin integrity by protecting the skin from exposure to feces, urine and bodily fluids¹²
- Suitable for pediatric use on full-term infants 0-36 months⁹
- Chlorhexidine gluconate (CHG) compatible¹⁵

Recommended for use with SECURA Total Body Foam Cleanser or SECURA Personal Cleanser



Item #	Size	Units/Case
59432200	4 oz. tube	12
59435000	0.12 oz. / 3.5 g packet 150 packets per box/unit	4

Contains 5% dimethicone

SECURA[◇] Extra Protective Cream

A zinc-based skin barrier developed to help protect skin from any kind of moisture. Effective on intact and compromised skin.^{16,17}

- Indicated to treat and prevent diaper dermatitis and denuded skin associated with exposure to feces or urine¹²
- Non-irritating and non-sensitizing¹⁸
- pH-balanced to help preserve skin's natural acid mantle¹⁹
- Suitable for pediatric use on full-term infants 0-36 months⁹
- Chlorhexidine gluconate (CHG) compatible¹⁵

Recommended for use with SECURA Total Body Foam Cleanser or SECURA Personal Cleanser



Item #	Size	Units/Case
59432400	3.25 oz. tube	24
59432500	7.75 oz. tube	12

Contains 30% zinc oxide, karaya gum and petrolatum

NO-STING SKIN-PREP[◇] Skin Protectant

A fast-drying,²⁰ sterile, liquid film-forming skin protectant.

- Has been shown to provide a protective layer when applied to intact or damaged skin due to urinary and/or faecal incontinence, bodily fluids, wound drainage, adhesives and friction^{21-25*}
- Has been shown to protect skin integrity from trauma during tape and adhesive removal²¹
- Effective waterproof and breathable barrier for up to 96 hours¹⁹
- Low-irritation, alcohol-free formulation reduces the potential for stinging on damaged skin²³
- Suitable to prepare the periwound skin for negative pressure wound therapy²⁹
- Chlorhexidine gluconate (CHG) compatible¹⁵

Item #	Size	Units/Case
66800709	1 oz. / 28 ml spray	12
59420700	3.0 ml swab 50 swabs per box/unit	12
59420600	1.0 ml wipe 50 wipes per box/unit	20

*As demonstrated in case series



SECURA[◇] Moisturizing Cream

A moisturizing cream that hydrates and restores moisture to dry skin.^{32,33}

- Formulated to hydrate dry and cracked skin on heels, elbows, hands and other vulnerable areas
- Non-irritating, non-sensitizing and non-toxic³⁴
- Suitable for pediatric use on full-term infants 0-36 months⁹
- Chlorhexidine gluconate (CHG) compatible¹⁵

Recommended for use with SECURA Total Body Foam Cleanser or SECURA Personal Cleanser



Item #	Size	Units/Case
59431900	3 oz. tube	24
59432000	6.5 oz. tube	12

SECURA[◇] Antifungal Extra Thick Cream

A zinc-based antifungal skin barrier developed to help treat superficial fungal infections while providing long-lasting protection against moisture.^{12,30,31}

- Cures most tinea cruris (jock itch), tinea corporis (ringworm) and tinea pedis (athlete's foot)³¹
- Relief of itching, burning, scaling, cracking, redness and discomfort associated with these conditions³¹
- Non-irritating and non-sensitizing¹⁸
- Suitable for pediatric use on full-term infants 0-36 months⁹
- Chlorhexidine gluconate (CHG) compatible¹⁵

Recommended for use with SECURA Total Body Foam Cleanser or SECURA Personal Cleanser



Item #	Size	Units/Case
59432900	3.25 oz. tube	12

Contains 2% miconazole nitrate, zinc oxide and karaya gum

How to use SECURA[◇] Skin Care

Skin condition	Objective	Product	Application
<p>Skin with potential for skin tears:</p> <ul style="list-style-type: none"> > Dry skin > Very dry skin 	Moisturize, soothe and condition at-risk dry skin		<ol style="list-style-type: none"> 1. Apply after bath and as needed
<p>Normal intact skin with exposure to urine/feces</p> <p>Skin with non-blanchable (stage 1 pressure ulcer/injury)³⁵</p> <p>Skin with rashes and IAD</p>	Cleanse, moisturize and protect		<ol style="list-style-type: none"> 1. Cleanse soiled area with SECURA Total Body Foam Cleanser 2. Apply thin layer of SECURA Dimethicone Protectant 3. Reapply after each incontinence episode or as needed
<p>Partial thickness skin loss of epidermis, dermis or both (stage 2 pressure ulcer/injury)³⁵</p> <p>Excoriated skin due to frequent diarrhea</p>	Cleanse and protect		<ol style="list-style-type: none"> 1. Cleanse soiled area with SECURA Total Body Foam Cleanser 2. Apply a thin layer of SECURA Extra Protective Cream 3. Reapply after each incontinence episode
<p>Skin with fungal infection</p>	Cleanse and treat		<ol style="list-style-type: none"> 1. Cleanse soiled area with SECURA Total Body Foam Cleanser 2. Apply thin layer of SECURA Antifungal Extra Thick Cream 3. Reapply after each incontinence episode

Try our entire pressure injury prevention portfolio

SECURA[◇] Skin Care is a part of our comprehensive range of products designed to help improve protocol and practice – including the first wearable patient monitoring sensor supporting the 2019 Clinical Practice Guideline.



Patient repositioning

with the LEAF[◇] Patient Monitoring System, the first wearable, wireless system that promotes adherence to patient turning protocols.^{36,37}



Skin protection

with ALLEVYN[◇] LIFE Foam Dressings, which are multilayered and uniquely constructed for protecting skin against pressure injury onset.

Helping you get **CLOSER TO ZERO[◇]** pressure injury incidence



Prevention is possible. Prevention is powerful.

Learn more at www.smith-nephew.com/secura

For detailed product information, including indications for use, contraindications, precautions and warnings, please consult the product's applicable Instructions for Use (IFU) prior to use.

References: **1.** National Scorecard on Hospital-Acquired Conditions, Agency for Healthcare Research and Quality (AHRQ). June 2019. Accessed November, 2019 at AHRQ National Scorecard on Hospital-Acquired Conditions Updated Baseline Rates and Preliminary Results 2014-2017. **2.** Wassel, C., Gayle, J., Dreyfus, J., Delhougne, G., and Larson, B. Readmission, mortality, cost and clinical outcomes of hospital acquired pressure injury patients by stage. Presented at the Symposium on Advanced Wound Care (SAWC) Fall, October 12-14, 2019. Las Vegas, NV. **3.** Agency for Healthcare Research and Quality website. Preventing pressure ulcers in hospitals: a toolkit for improving quality of care. <https://www.ahrq.gov/professionals/systems/hospital/pressureulcertoolkit/putool1.html>. Updated October 2014. Accessed June 20, 2017. **4.** European Pressure Ulcer Advisory Panel, National Pressure Injury Advisory Panel and Pan Pacific Pressure Injury Alliance. Prevention and Treatment of Pressure Ulcers/Injuries: Clinical Practice Guideline. Emily Haesler (Ed.). EPUAP/NPIAP/PPPIA: 2019. **5.** Satterwhite, J. et al. A patient safety goal: Preventing the incidence of pressure ulcers in the hospitalized patient resulting in a positive outcome and a reduction in associated costs, 2006. **6.** Smith+Nephew 2020. SECURA Total Body Foam Cleanser and SECURA Personal Cleanser. Internal Report. PSS415. **7.** Smith+Nephew 2020. The justification of pH buffered claim for the total body foam cleanser (TBFCI). Internal report. **8.** Smith+Nephew 2020. The justification of the 'Can emulsify blood, stool and zinc (barrier pastes/creams)' claim for the total body foam cleanser (TBFCI). Internal Report. **9.** Hilltop Research 2007. An Evaluation of Healthcare Products on Children 0 to 36 Months of Age with Normal Skin. Internal Report. 07-128386-111. **10.** Smith+Nephew 2020. The justification of the 'CHG compatible' claim for the Total Body Foam Cleanser reformulation. Internal report. **11.** Microbac 2012. Chlorhexidine gluconate compatibility evaluation of skin treatment products. Internal report. 795-101. **12.** Monograph Title 21 CFR Part 347 - Skin Protectant Drug Products for Over the Counter Human Use (Final Monograph 06/2003). **13.** Brett, D. The Justification Of Moisturizing Cream (Mcr) Claim Of Non-Greasy/Non-Staining/ Fast Absorbing Formula That Saves Valuable Nursing Time. 2017. Triple Care D Formulation (Swiss American Products) **14.** Demonstrable. **15.** Microbiotest report: Chlorhexidine Gluconate compatibility Evaluation of Skin Treatment Products. **16.** Fiers, S.A. Breaking the cycle: the etiology of incontinence dermatitis and evaluating and using skin care products, OWM, vol 43, no 3, April 1996, 32-42. **17.** Scheps M.H. Skin Care and the Prevention of Pressure ulcers. Home Health Care Consultant, vol 31 NO 1, Jan-Feb, 37-39. **18.** Master File for Product Reformulation MP-01-003. **19.** Secura Extra Protective Cream formulation (F-70) **20.** Smith+Nephew 2019. Review of No-Sting Skin Prep Drying Time. Internal Report. RD/19/026/v2. **21.** Cunarro Alonso JM, Martinez Sanchez P, Puerta Morales G. Use of the non-irritating skin protector No Sting Skin Prep in a series of cases in the social health field. Paper presented at: XIII National Symposium on Pressure Ulcers and Wounds Heritage; 2010; Spain. **22.** Francisco JGJ, Del Mar AGM, Maria PPJ, et al. Assessment of a new non-irritating skin protector for different skin disorders. Paper presented at: XIII National Symposium on Pressure Ulcers and Wounds Heritage; 2010; Spain. **23.** Porrás Pastor JM, Roman Manzano A, Jimenez Garcia JF, et al. Effectiveness of a nonirritating skin protectant in a series of clinical cases in primary care. Paper presented at: XIII National Symposium on Pressure Ulcers and Wounds Heritage; 2010; Spain. **24.** Segovia Gomez T, Bermejo Martinez M, Montero De La Pena MV, et al. Protection and treatment of perilesional skin at risk from external contaminants or forces with a non-irritating skin protector in hospital patients. Paper presented at: XIII National Symposium on Pressure Ulcers and Wounds Heritage; 2010; Spain. **25.** Smith+Nephew 2009. Study to determine the wash-off resistance and durability of a barrier film. Internal Report. S09-58-A. **26.** Study to determine the wash off resistance and Durability of a Barrier Film. Rpt # 09-58A. **27.** Skin Protectant Barrier Test: No-Sting Barrier Film. SAP, 2009. **28.** Assessing the Sting Potential of Film Forming Barriers. Rpt # 09-60. 2009. **29.** Data on file. RENASYS Dressing Kit with Soft Port, Harmac IFU. **30.** Brett, D. The justification of Secure Anti-Fungal Extra Thick Cream formulated to not wash away even in severe cases of diarrhea and soothing and gentle to the skin. 2017. **31.** Title 21 CFR, Part 333, Subpart C - Topical Antifungal Drug Products. **32.** Nursing Care Moisturizing Cream Formulation (F-50) **33.** Evaluation of Cumulative Irritation Potential in Humans (21-day), Report # 94-2404-72A, Hill Top Research **34.** Report # 94-2404-72A. **35.** Reed L. A. Classifying Pressure Ulcers: 15 Cases to Test Your Skills. Medscape, Nov 4, 2015 **36.** Schutt SC, Tarver C, Pezzani M. Pilot study: Assessing the effect of continual position monitoring technology on compliance with patient turning protocols. Nurs Open. 2017;5(1):21-28. **37.** Pickham D et al. Effect of a wearable patient sensor on care delivery for preventing pressure injuries in acutely ill adults: A pragmatic randomized clinical trial (LS-HAPI study). Int J Nurs Stud. 2018 Apr; 80:12-19. doi: 10.1016/j.ijnurstu.2017.12.012. Epub 2017 Dec 30

Advanced Wound Care
Smith+Nephew, Inc.
Fort Worth, TX
USA

Customer Care Center
T 800-876-1261
F 727-392-6914

◇ Trademark of Smith+Nephew
©2021 Smith+Nephew

www.smith-nephew.com
www.partnersinprevention.com