

Safety Data Sheet <u>According to Hazard Communication Standard (29 CFR 1910.1200)</u> SECURA No-Sting Barrier Film Wipes and Swabs /

No-Sting Skin Prep Wipes and Swabs

Product name		SECURA No-Sting Barrier Film Wipes and Swabs /			
Supanyma	No-Sting Skin Prep Wipes and Sw	No-Sting Skin Prep Wipes and Swabs			
Synonyms CAS #	- See section 3				
Product use					
Manufacturer/Supplier	Skin Preparation				
Supplier (Manufacturer):	Smith & Nephew, Inc. Advanced V	Vound Management			
Address:	4900 West Vickery Boulevard				
	Fort Worth, TX 76107				
	USA				
Contact Details:	For telephone and email contacts:				
	Telephone: 800.876.1261 (Toll Fr	ee)			
	https://www.smith-nephew.com/pr	ofessional/contact-us-choice/contact-us-			
	awm/				
Emergency telephone Number:	Chemtrec: 1-800-424-9300; 1-703	3-741-5970			
2. Hazard(s) identification					
GHS classification					
Physical hazards	Flammable liquids	Category 2			
Health hazards	Not classified				
Environmental hazards	Not classified				
GHS label elements					
Signal word	Dangar				
-	Danger				
Hazard statement Precautionary statement	Highly flammable liquid and vapo	DI.			
Prevention	Koop away from heat/sparks/op/	on flamos/hot surfaces No smoking			
Frevention	Keep container tightly closed.	Keep away from heat/sparks/open flames/hot surfaces. — No smoking.			
	Ground/Bond container and rece	ivina equipment.			
	Use explosion-proof electrical/ve				
		Use only non-sparking tools.			
	Take precautionary measures ag	Take precautionary measures against static discharge.			
	Wear protective gloves/eye prote	Wear protective gloves/eye protection/face protection.			
Response		If on skin (or hair): Take off immediately all contaminated clothing. Rins			
	skin with water/shower.				
	-	In case of fire: Use extinguishing powder, sand, alcohol-resistant foar			
	carbon dioxide to extinguish.				
Storogo	Store in a well-ventilated place.	-			
Storage	Dispose of contents/container in	Dispose of contents/container in accordance with local regulation.			
Disposal					
	Not available.				
Disposal Other hazards 3. Composition / information of	Not available. on ingredients				
Disposal Other hazards 3. Composition / information Document Number: 20092	Not available.on ingredients253Document Par				
Disposal Other hazards 3. Composition / information of	Not available. on ingredients				

Components	CAS#	Percent		
Disiloxane, hexamethyl-	107-46-0	75-100%		
		ł		
4. First-aid Measures				
First aid procedures				
Eye contact	Irrigate copiously with clean water for at least 15 minutes, holding the eyelids apart and seek medical attention.			
Skin contact	Remove contaminated clothing. Wash skin thoroughly with soap and water or use a recognized skin cleanser.			
Inhalation	Remove to fresh air, keep patient warm and	at rest. If breathing is		
	irregular or stopped, give artificial respiration. If unconscious place in the recovery position and obtain immediate medical attention. Give nothing by mouth.			
Ingestion	If swallowed obtain immediate medical atte induce vomiting.	ntion. Keep at rest. Do NOT		
Notes to physician	Treat symptoms.			
5. Fire-fighting measures				
Flammable properties	Not available.			
Extinguishing media				
Suitable extinguishing media	Extinguishing powder, sand, alcohol-resistan	t foam, carbon dioxide.		
Unsuitable extinguishing media	Not available.			
Firefighting equipment/instructions	In case of fire and/or explosion do not			
	respirator with independent air supply. Ac	-		
	protection, if necessary. Dispose of con	ntaminated extinction water		
	according to official regulations.			
Hazardous combustion products	Oxides of Carbon.			
6. Accidental release measures				
Personal precautions	Put on appropriate personal protective equip			
Environmental precautions	Do not allow spills to enter drains or wat hygiene practices. Wash hands before eatin toilet. Promptly remove soiled clothing and w	g, drinking, smoking or using		
Methods for cleaning up	Isolate area and keep unnecessary pers absorbent material (e.g. sand, acid binder Send in suitable containers for recover or dis	, universal binder, sawdust).		
7. Handling and storage				
Handling	Vapors can form an explosive mixture v	with air. Take precautionary		
-	measures against static charges. Keep awa			
	ignition. Use explosion-proof equipment/fitti	ngs and non-sparking tools.		
	See section 2 for further details [Prevention			
Storage	Handle containers carefully to prevent dam	• • •		
	which are opened must be carefully reseale			
	leakage. Always keep in containers of same Keep container tightly closed and dry in a	÷		
	Protect from direct sunlight. See section 2 for	-		
8. Exposure controls / personal pro				
Control parameters:				
Occupational exposure limits	This mixture has no PEL, TLV, or other recor	nmended exposure limit.		
Biological limit values	No biological exposure limits noted for the ing	gredient(s).		
Appropriate engineering controls:	Use in a well-ventilated area.			
Individual protection measures, such as p	ersonal protective equipment:			
Eye / face protection	Wear safety glasses with side shields.			
Skin protection	Wear appropriate clothing for the industrial se	-		
Skin protection Document Number: 2009253 Document Version: 04	Document Part:	etting. 200 Redefused		

Respiratory protection	If workers are exposed to concentrations above the exposure limit they must use the appropriate, certified respirators.
General hygiene considerations	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing.

9. Physical and chemical properties

Appearance	
Physical state	Liquid
Form	Liquid
Color	Colorless
Odor	Odorless
Odor threshold	Not available
pH	Not available
Vapor pressure	Not available
Vapor density	0.76g.cm3
Boiling point	37°C
Melting point/Freezing point	Not available
Solubility (water)	Insoluble
Relative density	Not available
Flash point	-1°C
Partition coefficient	Not available
Flammability limits in air, upper, %by	Not available
volume	
Flammability limits in air, lower, % by	Not available
volume	
Auto-ignition temperature	Not available
VOC	Not available
Percent volatile	Not available
Molecular Formula	Not available
Molecular Weight	Not available
Other data	
Viscosity	Not available
Dissociation constant	Not available
Evaporation rate (Ether = 1)	Not available
Lower Explosive Limit:	Not available
Upper Explosive Limit:	Not available
% Volatile:	Not available
10. Stability and reactivity	
Chemical stability	Material is stable under normal conditions.
Conditions to avoid	Incompatible materials.
Incompatible materials	Strong oxidizing agents
Hazardous decomposition products	Oxides of Carbon
Possibility of hazardous reactions	No dangerous reactions known.
11. Toxicological information	
Toxicokinetics, metabolism and distri	bution:
Non-human toxicological data:	Not available
Information on toxicological effects:	
Acute toxicity:	
Disiloxane, hexamethyl- (CAS# 107-46	S-0)
LD50(Oral, Rat):	> 16 mL/kg bw
LD50(Dermal, Rat):	> 2 000 mg/kg bw
LC50(Inhalation, Rat):	15 956 ppm 4h
Document Number: 2009253	Document Part: 000
Document Version: 04	Document Status: Rebéased

01								
	sion/Irritation:	lan.	Not classif					
Serious eye damage/irritation:		Not classified						
Respiratory or skin sensitization: Germ cell mutagenicity:		Not classified						
			Not classif					
Carcinogenicity:		Not classif						
Reproductive toxicity:		Not classif						
1	le exposure:		Not classif					
	ated exposure:		Not classif					
Aspiration	hazard:		Not classif	lied				
	gical inform	ation						
Toxici			Time	Orresien	Mathad	F uckers	Demonster	
	Acute toxicity		Time	Species	Method	Evaluation	Remarks	
	LC50	N/A	96h	Fish	OECD 203	N/A	N/A	
	EC50	N/A	48h	Daphnia	OECD 202	N/A	N/A	
	EC50	N/A	72h	Algae	OECD 201	N/A	N/A	
	e and degradab	-	Not availa					
	lative potential		Not availa					
Mobility in s			Not availa					
Results of F	PBT&vPvB ass	essment:	Not availa					
Other adver	rse effects:		No known	significant eff	ects or critical ha	azards.		
13. Dispo	sal consider	rations						
Disposal in	structions		Dispose of	f contents/con	tainer in accorda	ance with		
•			•		ternational regul			
Contaminat	ted packaging		-		ners may retair		idue, follow l	abel
				•	tainer is emptied	•	, .	
14. Trans	port informa	ition						
NOTE. I								
NOTE: IT	the package	ne is sealed	and doe	s not con	tain free lig	uid. the pr	oduct can	be
		ge is sealed		s not con	tain free liq	uid, the pr	oduct can	be
transport		ge is sealed angerous Goo		s not con	tain free liq	uid, the pr	oduct can	be
transport DOT	ed as non-D	angerous Goo		s not con	tain free liq	uid, the pr	oduct can	be
transport DOT Basic s	ed as non-D	angerous Goo	ods.	s not con	tain free liq	uid, the pr	oduct can	be
transport DOT Basic s UN nun	ed as non-D hipping require	angerous Goo	UN 3175					be
transport DOT Basic s UN num Proper	ed as non-D shipping require nber shipping name	angerous Goo	UN3175 Solids con		tain free liq			be
transport DOT Basic s UN num Proper Hazard	ed as non-D shipping require nber shipping name class	angerous Goo	UN3175 Solids con 4.1					be
transport DOT Basic s UN num Proper Hazard Packing	ed as non-D shipping require nber shipping name class g group	angerous Goo	UN3175 Solids con 4.1 II					be
transport DOT Basic s UN num Proper Hazard Packing Enviror	ed as non-D shipping require nber shipping name class	angerous Goo	UN3175 Solids con 4.1					be
transport DOT Basic s UN num Proper Hazard Packing Enviror IATA	ed as non-D shipping require nber shipping name class g group nmental hazard	angerous Goo	UN3175 Solids con 4.1 II					be
transport DOT Basic s UN num Proper Hazard Packing Enviror IATA UN num	ed as non-D shipping require nber shipping name class g group nmental hazard	angerous Goo ements:	UN3175 Solids con 4.1 II					be
transport DOT Basic s UN num Proper Hazard Packing Enviror IATA UN num UN pro	ed as non-D shipping require nber shipping name class g group nmental hazard nber per shipping na	angerous Goo	UN3175 Solids con 4.1 II Yes UN3175	taining flamm		. (Disiloxane, h	examethyl-)	be
transport DOT Basic s UN num Proper Hazard Packing Enviror IATA UN num UN pro	ed as non-D shipping require nber shipping name class g group nmental hazard	angerous Goo	UN3175 Solids con 4.1 II Yes UN3175	taining flamm	able liquid, n.o.s	. (Disiloxane, h	examethyl-)	be
transport DOT Basic s UN num Proper Hazard Packing Enviror IATA UN num UN pro Transp	ed as non-D shipping require nber shipping name class g group nmental hazard nber per shipping na	angerous Goo	UN3175 Solids con 4.1 II Yes UN3175 Solids con	taining flamm	able liquid, n.o.s	. (Disiloxane, h	examethyl-)	be
transport DOT Basic s UN num Proper Hazard Packing Enviror IATA UN num UN pro Transp Packing	ed as non-D shipping require nber shipping name class g group nmental hazard nber per shipping na ort hazard clas	angerous Goo ements: s s ame s(es)	UN3175 Solids con 4.1 II Yes UN3175 Solids con 4.1	taining flamm	able liquid, n.o.s	. (Disiloxane, h	examethyl-)	be
transport DOT Basic s UN num Proper Hazard Packing Enviror IATA UN num UN pro Transp Packing	ed as non-D shipping require nber shipping name class g group mental hazard nber per shipping na ort hazard clas g group	angerous Goo ements: s s ame s(es)	UN3175 Solids con 4.1 II Yes UN3175 Solids con 4.1 II	taining flamm	able liquid, n.o.s	. (Disiloxane, h	examethyl-)	be
transport DOT Basic s UN num Proper Hazard Packing Enviror IATA UN num UN pro Transp Packing Enviror	ed as non-D shipping require nber shipping name class g group nmental hazard nber per shipping na ort hazard clas g group nmental hazard	angerous Goo ements: s s ame s(es)	UN3175 Solids con 4.1 II Yes UN3175 Solids con 4.1 II	taining flamm	able liquid, n.o.s	. (Disiloxane, h	examethyl-)	be
transport DOT Basic s UN nun Proper Hazard Packing Enviror IATA UN nun UN pro Transp Packing Enviror IMDG UN nun	ed as non-D shipping require nber shipping name class g group nmental hazard nber per shipping na ort hazard clas g group nmental hazard	angerous Goo ements: s s ame s(es) s	UN3175 Solids con 4.1 II Yes UN3175 Solids con 4.1 II Yes UN3175	taining flamm	able liquid, n.o.s able liquid, n.o.s	. (Disiloxane, h	examethyl-)	be
transport DOT Basic s UN num Proper Hazard Packing Enviror IATA UN num UN pro Transp Packing Enviror IMDG UN num	ed as non-D shipping require nber shipping name class g group nmental hazard nber per shipping na ort hazard clas g group nmental hazard	angerous Goo ements: s s ame s(es) s ame	UN3175 Solids con 4.1 II Yes UN3175 Solids con 4.1 II Yes UN3175 Solids con	taining flamm	able liquid, n.o.s	. (Disiloxane, h	examethyl-)	be
transport DOT Basic s UN num Proper Hazard Packing Enviror IATA UN num UN pro Transp Packing Enviror IMDG UN num UN pro	ed as non-D shipping require nber shipping name class g group mental hazard nber per shipping na ort hazard clas g group mental hazard nber per shipping na ort hazard clas	angerous Goo ements: s s ame s(es) s ame	UN3175 Solids con 4.1 II Yes UN3175 Solids con 4.1 II Yes UN3175	taining flamm	able liquid, n.o.s able liquid, n.o.s	. (Disiloxane, h	examethyl-)	be
transport DOT Basic s UN num Proper Hazard Packing Enviror IATA UN num UN pro Transp Packing Enviror IMDG UN num UN pro Transp Packing	ed as non-D shipping require nber shipping name class g group mental hazard nber per shipping na ort hazard clas g group mental hazard nber per shipping na ort hazard clas g group	angerous Goo ements: s s ame s(es) s ame s(es)	UN3175 Solids con 4.1 II Yes UN3175 Solids con 4.1 II Yes UN3175 Solids con 4.1 II II II	taining flamm	able liquid, n.o.s able liquid, n.o.s	. (Disiloxane, h	examethyl-)	be
transport DOT Basic s UN num Proper Hazard Packing Enviror IATA UN num UN pro Transp Packing UN num UN pro Transp Packing Enviror	ed as non-D shipping require nber shipping name class g group mental hazard nber per shipping na ort hazard clas g group mental hazard nber per shipping na ort hazard clas	angerous Goo ements: s s ame s(es) s ame s(es) s s	UN3175 Solids con 4.1 II Yes UN3175 Solids con 4.1 II Yes UN3175 Solids con 4.1	taining flamm	able liquid, n.o.s able liquid, n.o.s	. (Disiloxane, h	examethyl-)	be
transport DOT Basic s UN nun Proper Hazard Packing Enviror IATA UN nun UN pro Transp Packing Enviror IMDG UN nun UN pro Transp Packing 15. Regul	ed as non-D shipping require nber shipping name class g group nmental hazard nber per shipping na ort hazard clas g group nmental hazard nber per shipping na ort hazard clas g group nmental hazard datory inform	angerous Goo ements: s s ame s(es) s ame s(es) s s	UN3175 Solids con 4.1 II Yes UN3175 Solids con 4.1 II Yes UN3175 Solids con 4.1 II II II	taining flamm	able liquid, n.o.s able liquid, n.o.s	. (Disiloxane, h	examethyl-)	be
transport DOT Basic s UN num Proper Hazard Packing Enviror IATA UN num UN pro Transp Packing UN num UN pro Transp Packing Enviror IMDG UN num UN pro Transp Packing Enviror	ed as non-D shipping require nber shipping name class g group nmental hazard nber per shipping na ort hazard clas g group nmental hazard nber per shipping na ort hazard clas g group nmental hazard datory inform regulations	angerous Goo ements: s s s ame s(es) s ame s(es) s ame s(es) s ame s(es)	UN3175 Solids con 4.1 II Yes UN3175 Solids con 4.1 II Yes UN3175 Solids con 4.1 II II II	taining flamm	able liquid, n.o.s able liquid, n.o.s	. (Disiloxane, h	examethyl-)	be
transport DOT Basic s UN num Proper Hazard Packing Enviror IATA UN num UN pro Transp Packing Enviror IMDG UN num UN pro Transp Packing Enviror 15. Regul US federal u	ed as non-D shipping require nber shipping name class g group nmental hazard nber per shipping na ort hazard clas g group nmental hazard nber per shipping na ort hazard clas g group nmental hazard atory inform regulations bstances Contr	angerous Goo ements: s s ame s(es) s ame s(es) s ame s(es) s ame s(es) s ame s(es)	UN3175 Solids con 4.1 II Yes UN3175 Solids con 4.1 II Yes UN3175 Solids con 4.1 II Yes	Itaining flamm	able liquid, n.o.s able liquid, n.o.s	. (Disiloxane, h	examethyl-)	be
transport DOT Basic s UN num Proper Hazard Packing Enviror IATA UN num UN pro Transp Packing Enviror IMDG UN num UN pro Transp Packing Enviror 15. Regul US federal f	ed as non-D shipping require nber shipping name class g group mental hazard nber per shipping na ort hazard clas g group mental hazard nber per shipping na ort hazard clas g group mental hazard datory inform regulations bstances Contr Section 12(b) Ex	angerous Goo ements: s s s ame s(es) s ame s(es) s ame s(es) s ame s(es)	UN3175 Solids con 4.1 II Yes UN3175 Solids con 4.1 II Yes UN3175 Solids con 4.1 II Yes	Itaining flamm	able liquid, n.o.s able liquid, n.o.s	. (Disiloxane, h	examethyl-)	be
transport DOT Basic s UN num Proper Hazard Packing Enviror IATA UN num UN pro Transp Packing Enviror IMDG UN num UN pro Transp Packing Enviror 15. Regul US federal Toxic Sul TSCA S	ed as non-D shipping require nber shipping name class g group mental hazard nber per shipping na ort hazard clas g group mental hazard nber per shipping na ort hazard clas g group mental hazard atory inform regulations bstances Contr Section 12(b) Es ated.	angerous Goo ements: s s ame s(es) s ame s(es) s ame s(es) s aa s(es) s aa s(es) s aa s(es) s aa s(es) s aa s(es) s aa s(es) s aa s(es) s aa s(es) s aa s(es) s aa s(es)	UN3175 Solids con 4.1 II Yes UN3175 Solids con 4.1 II Yes UN3175 Solids con 4.1 II Yes	taining flamm taining flamm taining flamm taining flamm	able liquid, n.o.s able liquid, n.o.s	. (Disiloxane, h	examethyl-)	be
transport DOT Basic s UN num Proper Hazard Packing Enviror IATA UN num UN pro Transp Packing Enviror IMDG UN num UN pro Transp Packing Enviror 15. Regul US federal US federal Toxic Sut TSCA S	ed as non-D shipping require nber shipping name class g group nmental hazard nber per shipping na ort hazard clas g group nmental hazard nber per shipping na ort hazard clas g group nmental hazard atory inform regulations bstances Contr Section 12(b) Ex ated. A Hazardous S	angerous Goo ements: s s s ame s(es) s ame s(es) s ame s(es) s aame s(es) s aame s(es) s aation ol Act (TSCA) xport Notificatior	UN3175 Solids con 4.1 II Yes UN3175 Solids con 4.1 II Yes UN3175 Solids con 4.1 II Yes	itaining flamm itaining flamm itaining flamm 07, Subpt. D)	able liquid, n.o.s able liquid, n.o.s able liquid, n.o.s	. (Disiloxane, h	examethyl-)	be
transport DOT Basic s UN num Proper Hazard Packing Enviror IATA UN num UN pro Transp Packing Enviror IMDG UN num UN pro Transp Packing Enviror 15. Regul US federal Toxic Sul	ed as non-D shipping require nber shipping name class g group nmental hazard nber per shipping na ort hazard clas g group nmental hazard nber per shipping na ort hazard clas g group nmental hazard atory inform regulations bstances Contr Section 12(b) Ex ated. A Hazardous S Number:	angerous Goo ements: s s ame s(es) s ame s(es) s ame s(es) s aa s(es) s aa s(es) s aa s(es) s aa s(es) s aa s(es) s aa s(es) s aa s(es) s aa s(es) s aa s(es) s aa s(es)	UN3175 Solids con 4.1 II Yes UN3175 Solids con 4.1 II Yes UN3175 Solids con 4.1 II Yes	itaining flamm itaining flamm itaining flamm 07, Subpt. D)	able liquid, n.o.s able liquid, n.o.s	. (Disiloxane, h	examethyl-)	be

Not listed.	
SARA 304 Emergency release notificatio	n
Not regulated.	
OSHA Specifically Regulated Substances	s (29 CFR 1910.1001-1053)
Not listed.	
Superfund Amendments and Reauthorization	
SARA 302 Extremely hazardous substa	ance
Not listed.	
SARA 311/312 Hazardous chemical	Yes
Classified hazard categories	Flammable (gases, aerosols, liquids, or solids)
SARA 313 (TRI reporting)	
Not regulated.	
Other federal regulations	
Clean Air Act (CAA) Section 112 Hazardo	ous Air Pollutants (HAPs) List
Not regulated.	
Clean Air Act (CAA) Section 112(r) Acc	idental Release Prevention (40 CFR 68.130)
Not regulated.	
Safe Drinking Water Act (SDWA)	Not regulated.
16. Other information, including dat	te of preparation or last revision
HMIS®ratings	Health: 0
	Flammability: 3
	Physical hazard: 0
NFPA ratings	Health: 0 Flammability: 3
	Instability: 0
Disclaimer	The information in the sheet was written based on the best knowledge
	and experience currently available.

17a) REFERENCE NUMBER	2009253
17b) DATE OF ISSUE	13/05/2021

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders.

2009253 04 Document Part: 000 Document Status: Rettétased